

# Algebraic Expressions

Exercise - 8.1

(1)  $3x + 6$

(ii)  $13 - 5x$

(iii)  $x^2 + y^2$

(iv)  $3p^2 + 7$

(v)  $x^2 - 3x$

(vi)  $mn - (m+n)$

(2)

A taxi charges = 9 / km

fixed charges = 50

Taxi hired for  $x$  km is

$$9x + 50.$$

(3)

i.  $5a - 3b + c$

ii.  $m^2 - 5m + 6$

iii.  $xy + yx - xy^2$

4

i)  $3, -7x$

ii)  $2, -5a, \frac{3}{2}b$

iii)  $3x^5, 4y^3, -7xy^2, 3$

5)

i)  $-4x + 5y$

Term  $-4x, 5y$

factor  $-4, x, 5, y$

ii)  $xy + x^2y^2$

Term :  $xy, x^2y^2$

factor :  $x, y, x, x, y, y$


iii)  $1.2ab - 2.4b + 3.6a$

Term :  $1.2ab, -2.4b, 3.6a$

factor :  $1.2, a, b, -2.4, b, 3.6, a$


6)

i)  $8x + 3y^2$




ii,

$$y - y^3$$




iii,

$$5xy^2 + 7x^2y$$



iv,

$$-ab + 2b^2 - 3a^2$$



(7)

i,  $-7$

ii,  $-2$

iii,  $6$

iv,  $\frac{2}{3}$

8,

i,  $-4b$

ii,  $5y^2$

iii,  $-1$

iv,  $-3xy$

9.

i.  $-y^2z^3$

ii.  $7z^3$

iii.  $-7yz^2$

iv.  $-xyz$

10.

i. Non-constant term =  $-7x$   
numerical coefficients =  $-7$

ii.  $1 + 2x - 3x^2$

Non-constant term =  $2x - 3x^2$

Numerical coefficients =  $2, -3$

iii.  $1.2a + 0.8b$

non-constant term =  $1.2a, 0.8b$

numerical coefficients =  $1.2, 0.8$

11.

i.  $13y^2 - 8xy$

$-8xy$

coefficient of  $x = -8y$

ii.  $7x - xy^2$

$7x, -xy^2$

coefficient of  $x = 7, -y^2$

iii,  $4x^2y + 2xy^2 - 5$

$4x^2y, 2xy^2$

coefficient of  $x = 2y^2, 4xy$

12.

i,  $8 - xy^2$

$-xy^2$

coefficient of  $y^2 = -x$

ii,  $5y^2 + 7x - 3xy^2$

$5y^2, -3xy^2$

coefficient of  $y^2 = 5, -3x$

iii,  $2xy^2 - 15xy^2 + 7y^2$

$-15xy^2, 7y^2$

coefficient of  $y^2 = -15x, 7$

13.

i,  $4y - 7z$  binomial

ii,  $5rs^2$  monomial

iii,  $xy - yz$  trinomial

iv,  $a^2b - 5b - 3a$  trinomial

v,  $4p^2q - 5pq^2$  binomial

vii, 2017 monomial

viii,  $1+x+x^2$  trinomial

ix,  $5x^2 - 7 + 3x + 4$  trinomial

14,

i,  $-7x, 5\frac{1}{2}x$  like term

ii,  $-29x, -29y$  unlike term

iii,  $2xy, 2xyz$  unlike term

iv,  $4m^2p, 4mp^2$  unlike term

v,  $12x^2, 12x^2z^2$  unlike term

vi,  $-5p^2, 7q^2$  like term

15,

i,  $x^2y, -2x^2y$

ii,  $3a^2b, -6a^2b, 2abc, 4abc$

iii,  $10p^2, -7p^2, 78q^2$ .

$7p, 2405p$ .

$8q, -100q$ .

$-p^2q^2, 12q^2p^2$ .

$-23, 41$ .

$-5p^2, 701p^2$ .

$13p^2q, 2p^2$ .

16

i, 8

ii, 1

iii, 0

iv, 2

17,

i, 3

ii, 4

iii, 5

18,

i, true

ii, false

iii, false

iv, false

v, true

vi, false

vii, false

bodhiyla.com

① Exercice 8.2

i.  $7x, -3x$

$$7x - 3x = 4x$$

ii.  $6x, -11x$

$$6x - 11x = -5x$$

iii.  $5x^2, -9x^2$

$$5x^2 - 9x^2 = -4x^2$$

iv.  $3ab^2, -5ab^2$

$$3ab^2 - 5ab^2 = -2ab^2$$

v.  $\frac{1}{2}PQ, -\frac{1}{3}PQ$

$$= \frac{1}{2}PQ - \frac{1}{3}PQ$$

$$= \frac{3PQ - 2PQ}{3 \times 2}$$

$$= \frac{PQ}{6}$$

vi.  $5x^3y, -\frac{2}{3}x^3y$

$$= 5x^3y - \frac{2}{3}x^3y$$

$$= \frac{15x^3y - 2x^3y}{3}$$

$$= \frac{13x^3y}{3}$$



2.

i.  $3x, -5x, 7x$

$$3x - 5x + 7x = 5x$$

ii.  $8xy, 6xy, -8xy$

$$8xy - 6xy + 6xy - 8xy$$

$$= 0$$

iii.  $-2abc, 3abc, abc$

$$-2abc + 3abc + abc = 2abc$$

iv.  $3mn, -5mn, 8mn, -4mn$

$$3mn - 5mn + 8mn - 4mn = 2mn$$

v.  $2x^3, 3x^3, -4x^3, -5x^3$

$$2x^3 + 3x^3 - 4x^3 - 5x^3$$

$$5x^3 - 9x^3 = -4x^3$$

3.

i.  $8b - 3b$

ii.  $8m^2 - 11m + 10$

iii.  $7z^3 + 12z^2 - 20z$

iv.  $8xy^2 + 8xy^2 - 4x^2 - 7y^2$

v.  $P - Q$

ii,  $a + ab$

iii,  $4y^2 - 3x$

4,

i,  $5xy, -7xy, 3x^2$

$$5xy + (-7xy) + 3x^2$$

$$3x^2 - 2xy$$

ii,  $4xy^2, -3xy^2, -5xy^2, 5xy^2$

$$4xy^2 - 3xy^2 - 5xy^2 + 5xy^2$$

$$9xy^2 - 8xy^2$$

iii,  $-7mn + 5, 12mn + 12, 8mn - 8, -2mn - 3$

$$-7mn + 5 + 12mn + 12 + 8mn - 8 - 2mn - 3$$

$$11mn - 4$$

iv,  $a + b - 3, b - a + 3, a - b + 3$

$$a + b - 3 + b - a + 3 + a - b + 3$$

$$a + b + 3$$

v,  $14x + 10y - 12xy - 13, 18 - 7x - 10y + 8xy, 4xy$

$$14x + 10y - 12xy - 13 + 18 - 7x - 10y + 8xy + 4xy$$

$$7x + 5$$

vi,  $5m - 7n, 3n - 4m + 2, 2m - 3mn - 5$

$$5m - 7n + 3n - 4m + 2 + 2m - 3mn - 5$$

$$3m - 4n - 3mn - 3$$

vii,  $7a^2 - 5a + 2, 3a^2 - 7, 2a + 9, 1 + 2a - 5a^2$

$$7a^2 - 5a + 2 + 3a^2 - 7 + 2a + 9 + 1 + 2a - 5a^2$$

$$5a^2 - a + 5$$

8,

i,  $2x^2 + 3y^2 - 5xy + 5x^2 - y^2 + 6xy - 3x^2$

$$x^2(2 + 5 - 3) + y^2(3 - 1) + xy(-5 + 6)$$

$$4x^2 + 2y^2 + xy$$

ii,  $3xy^2 - 5x^2y + 7xy - 8y^2x - 4xy + 6x^2y$

$$xy^2(3 - 8) + x^2y(-5 + 6) + xy(7 - 4)$$

$$-5xy^2 + 6x^2y + 3xy$$

iii,  $5x^4 - 7x^2 + 8x - 1 + 3x^3 - 9x^2 + 7 - 3x^4 + 11x - 2 + 8x^2$

$$x^4(5 - 3) + x^2(-7 - 9 + 8) + x(8 + 11) + 3x^3 - 1 + 7 - 2$$

$$2x^4 - 8x^2 + 19x + 3x^3 + 4$$

$$2x^4 + 3x^3 - 8x^2 + 19x + 4$$

6.

i.

$$y^2 - (-5y^2)$$

$$y^2 + 5y^2 = 6y^2$$

ii.

$$-2xy - (-7xy)$$

$$-2xy + 7xy$$

$$5xy$$

iii.

$$b(5-a) - a(b-5)$$

$$5b - ab - ab + 5a$$

$$5a + 5b - 2ab$$

iv.

$$4m^2 - 3mn + 8 - (-m^2 + 5mn)$$

$$4m^2 - 3mn + 8 + m^2 - 5mn$$

$$5m^2 - 8mn + 8$$

v.)  $3ab - 2a^2 - 2b^2 - (5a^2 - 7ab + 5b^2)$

$$3ab - 2a^2 - 2b^2 - 5a^2 + 7ab - 5b^2$$

$$10ab - 7a^2 - 7b^2$$

vi.)  $5p^2 + 3q^2 - pq - (4pq - 5q^2 - 3p^2)$

$$5p^2 + 3q^2 - pq - 4pq + 5q^2 + 3p^2$$

$$8p^2 + 8q^2 - 5pq$$

vii,

$$7x^2 - 8xy + 3y^2 - 5 - (7xy + 5x^2 - 7y^2 + 3)$$

$$7x^2 - 8xy + 3y^2 - 5 - 7xy - 5x^2 + 7y^2 + 3$$

$$x^2(7-5) + xy(-8-7) + y^2(3+7) - 8$$

$$2x^2 - 15xy + 10y^2 - 8$$

viii,

$$(x^4 - 3x^3 - 2x^2 + 3) - (2x^4 - 7x^2 + 5x + 3)$$

$$x^4 - 3x^3 - 2x^2 + 3 - 2x^4 + 7x^2 - 5x - 3$$

$$x^4(1-2) - 3x^3 + x^2(-2+7) - 5x$$

$$-x^4 - 3x^3 + 5x^2 - 5x$$

⑨ sum of  $(10p - r)$  and  $5p + 2q$  is

$$= 10p - r + 5p + 2q$$

$$= 15p + 2q - r$$

$p - 2q + r$  subtract from  $15p + 2q - r$

$$(15p + 2q - r) - (p - 2q + r)$$

$$15p + 2q - r - p + 2q - r$$

$$p(15-1) + q(2+2) + r(-1-1)$$

$$14p + 4q - 2r$$

8) Sum of  $4+3x$  and  $5-4x+2x^2$

$$2x^2 - 4x + 5 + 4 + 3x$$

$$2x^2 - x + 9$$

Sum of  $3x^2 - 5x$  and  $-x^2 + 2x + 5$

$$3x^2 - 5x + (-x^2 + 2x + 5)$$

$$2x^2 - 3x + 5$$

$2x^2 - x + 9$  is subtracted from  $2x^2 - 3x + 5$

$$2x^2 - 3x + 5 - (2x^2 - x + 9)$$

$$2x^2 - 3x + 5 - 2x^2 + x - 9$$

$$-2x - 4$$

9)

Sum is  $x^2 + y^2 + 5xy$

Subtract  $x^2 - y^2 + 2xy$  from  $x^2 + y^2 + 5xy$

$$x^2 + y^2 + 5xy$$

$$x^2 - y^2 + 2xy$$

$$\begin{array}{r} - \quad + \quad - \\ \hline \end{array}$$

$$2y^2 + 3xy$$

10

$$\begin{array}{r}
 -7mn + 2m^2 + 3n^2 \\
 2mn + m^2 + n^2 \\
 \hline
 -9mn + m^2 + 2n^2
 \end{array}$$

11

The required

$$y^4 - 12y^2 + y + 14 - (17y^3 + 34y^2 - 51y + 68)$$

$$y^4 - 17y^3 + y^2(-12 - 34) + y(1 + 51) + 14 - 68$$

$$y^4 - 17y^3 - 46y^2 + 52y - 54$$

12

The required

$$93p^2 - 55p + 4 - (13p^3 - 5p^2 + 17p - 90)$$

$$93p^2 - 55p + 4 - 13p^3 + 5p^2 - 17p + 90$$

$$-13p^3 + 98p^2 - 72p + 94$$

13

The required expressions

$$3x^2 - 4y^2 + 5xy + 20$$

$$-x^2 - y^2 + 6xy + 20$$

$$\begin{array}{r}
 + \quad + \quad + \quad - \\
 \hline
 4x^2 - 2y^2 - xy
 \end{array}$$

④ sum of  $2y^2 + 3yz$ ,  $-y^2 - yz - z^2$ ,  $yz + 2z^2$  is

$$2y^2 + 3yz - y^2 - yz - z^2 + yz + 2z^2$$

$$y^2(2-1) + yz(3-1+1) + z^2(-1+2)$$

$$y^2 + 3yz + z^2$$

[bodhiyla.com](http://bodhiyla.com)



Exercises - 8.3

①

i,  $3m - 5$

given  $m = 2$

$$3(2) - 5 = 6 - 5 = 1$$

ii,  $9 - 5m$

$m = 2$

$$9 - 5(2) = 9 - 10 \\ = -1$$

iii,  $3m^2 - 2m - 7$

$m = 2$

$$3(2)^2 - 2(2) - 7$$

$$3 \times 4 - 2 \times 2 - 7$$

$$12 - 4 - 7$$

iv,  $\frac{5}{2}m - 4$

$m = 2$

$$\frac{5}{2} \times 2 - 4$$

$$5 - 4$$

1

②

i.  $4P + 7$

$$P = -2$$

$$4(-2) + 7 = -8 + 7 = -1$$

ii.  $-3P^2 + 4P + 7$

$$-3(-2)^2 + 4(-2) + 7$$

$$-3 \times 4 - 8 + 7$$

$$-12 - 8 + 7$$

$$-13$$

iii.  $-2P^3 - 3P^2 + 4P + 7$

$$-2 \times (-2)^3 - 3(-2)^2 + 4(-2) + 7$$

$$-2 \times -8 - 3 \times 4 + 4 \times -2 + 7$$

$$16 - 12 - 8 + 7$$

$$3$$

3

i.  $a^2 + b^2$

$$a = 2, b = 2$$

$$(2)^2 + (2)^2$$

$$4 + 4 = 8$$

ii.  $a^2 + ab + b^2$

$$a = 2 \quad b = 2$$

$$(2)^2 + 2 \times 2 + (2)^2$$

$$4 + 4 + 4$$

$$= 12$$

iii.  $a^2 - b^2$

$$(2)^2 - (2)^2$$

$$4 - 4$$

$$0$$

bodhiyla.com

④

i.  $2a^2 + b^2 + 1$

$a=0$   $b=-1$

$2 \times (0)^2 + (-1)^2 + 1$

$0 + 1 + 1$

$2$

ii.  $a^2 + ab + 2$

$(0)^2 + 0 \times -1 + 2$

$2$

iii.  $2a^2b + 2ab^2 + ab$

$2(0)^2(-1) + 2(0)(-1)^2 + 0(-1)$

$0$

⑤ Given  $p = -10$

The value of  $p^2 - 2p - 100$

$(-10)^2 - 2(-10) - 100$

$100 + 20 - 100$

$20$

⑥ Given  $z = 10$

The value of  $z^3 - 3z + 30$

$$(10)^3 - 3(10) + 30$$

$$1000 - 30 + 30$$

$$1000$$

⑦

i) Given  $x = 2$

The value of  $x + 7 + 4(x - 5)$

$$x + 7 + 4x - 20$$

$$5x - 13$$

$$5 \times 2 - 13$$

$$10 - 13 = -3$$

ii,

Given  $x = 2$

The value of  $3(x + 2) + 5x - 7$

$$3x + 6 + 5x - 7$$

$$8x - 1$$

$$8(2) - 1$$

$$16 - 1$$

$$15$$

iii, Given  $x=2$

The value of  $6x + 5(x-2)$

$$6x + 5x - 10$$

$$11x - 10$$

$$11 \times 2 - 10$$

$$22 - 10$$

$$12$$

iv, Given  $x=2$

The value of  $4(2x-1) + 3x+11$

$$8x - 4 + 3x + 11$$

$$11x + 7$$

$$11 \times 2 + 7$$

$$22 + 7$$

$$29$$

8

ii) Given  $a=-1$ ,  $b=2$

$$2a - 2b - 4 - 5 + a$$

$$2(-1) - 2(2) - 4 - 5 + (-1)$$

$$-2 + 4 - 4 - 5 - 1$$

$$-8$$

ii. Given  $a = -1$ ,  $b = -2$

The value of  $2(a^2 + ab) + 3 - ab$

$$2a^2 + 2ab + 3 - ab$$

$$2a^2 + ab + 3$$

$$2(-1)^2 + (-1)(-2) + 3$$

$$2 + 2 + 3$$

$$7$$

[bodhiyla.com](http://bodhiyla.com)

### Exercise 8.4

①

(i)  $2n+1$

Number of shapes	No of Line segments
1	3
2	5
3	7

$n$  shape of letters are formed then algebraic equation is  $2n+1$

ii, Number of shapes

No of Line segments
5
8
11

Algebraic equation is  $3n+2$

②

ii,

Number of shapes	No of Line segments
1	4
2	7
3	10
⋮	⋮



Algebraic expression is  $3n+1$

ii.

Number of shapes

No of line segments

1

6

2

11

3

16

Algebraic expression is  $5n+1$

iii.

Number of shapes

No of line segments

1

7

2

12

3

17

⋮

⋮

Algebraic expression is  $5n+2$

③

i.  $2n+1$

$$n=5 \quad 2(5)+1 = 11$$

$$n=10 \quad 2(10)+1 = 21$$

$$n=100 \quad 2(100)+1 = 201$$

ii)  $3n+1$

$$n=5 \quad 3(5)+1 = 16$$

$$n=10 \quad 3(10)+1 = 31$$

$$n=100 \quad 3(100)+1 = 301$$

iii)  $3n+2$

$$n=5 \quad 3(5)+2 = 17$$

$$n=10 \quad 3(10)+2 = 32$$

$$n=100 \quad 3(100)+2 = 302$$

iv)  $5n+1$

$$n=5 \quad 5(5)+1 = 26$$

$$n=10 \quad 5(10)+1 = 51$$

$$n=100 \quad 5(100)+1 = 501$$

v)  $5n+2$

$$n=5 \quad 5(5)+2 = 27$$

$$n=10 \quad 5(10)+2 = 52$$

$$n=100 \quad 5(100)+2 = 502$$

vi)  $4n+3$

$$n=5 \quad 4(5)+3 = 23$$

$$n=10 \quad 4(10)+3 = 43$$

$$n=100 \quad 4(100)+3 = 403$$