

## 2. Exponents of Real Numbers

### Exercise 2.1

#### 1. Question

Assuming that  $x, y, z$  are positive real numbers, simplify each of the following:

$$(i) \left(\sqrt{x^{-3}}\right)^5 \quad (ii) \sqrt{x^3y^{-2}} \quad (iii) (x^{-2/3}y^{-1/2})^2 \quad (iv) (\sqrt{x})^{-2/3}\sqrt{y^4} \div \sqrt{xy^{-1/2}} \quad (v) \sqrt[5]{243x^{10}y^5z^{10}} \quad (vi) \left(\frac{x^{-4}}{y^{-10}}\right)^{5/4}$$

#### Answer

$$(i) \left(\frac{\sqrt[4]{1}}{\sqrt[4]{3}}\right)^5 = (1 / x^{3/2})^5$$

$$= (1 / x^{3/2 \times 5}) = (1 / x^{15/2})$$

$$(ii) (\sqrt[3]{x^3} / y^2) = (x^3 / y^2)^{1/2}$$

$$= x^{3 \times 1/2} / y^{2 \times 1/2}$$

$$= x^{3/2} / y$$

$$(iii) 1 / (x^{2/3} y^{1/2})^2$$

$$= 1 / (x^{2/3 \times 2} y^{1/2 \times 2})$$

$$= 1 / x^{4/3} y$$

$$(iv) (x^{1/2})^{-2/3} (y)^2 / (xy^{-1/2})^{1/2}$$

$$= x^{-1/3} y^2 / (x^{1/2} y^{-1/2 \times 1/2})$$

$$= (x^{-5/6}) (y^{9/4})$$

$$= (y^{9/4}) / (x^{5/6})$$

$$(v) (243x^{10} y^5 z^{10})^{1/5}$$

$$= (3^5)^{1/5} x^2 y z^2$$

$$= 3x^2 y z^2$$

$$(vi) (y^{10} / x^4)^{5/4}$$

$$= y^{10 \times 5/4} / x^{4 \times 5/4}$$

$$= y^{25/2} / x^5$$

#### 2. Question

Simplify:

(i)  $(16^{-1/5})^{5/2}$  (ii)  $\sqrt[3]{(343)^{-2}}$  (iii)  $(0.001)^{1/3}$  (iv)  $\frac{(25)^{3/2} \times (243)^{3/5}}{(16)^{5/4} \times (8)^{4/3}}$  (v)  $\left(\frac{\sqrt{2}}{5}\right)^8 \div \left(\frac{\sqrt{2}}{5}\right)^{13}$  (vi)

$$\left(\frac{5^{-1} \times 7^2}{5^2 \times 7^{-4}}\right)^{7/2} \times \left(\frac{5^{-2} \times 7^3}{5^3 \times 7^{-5}}\right)^{5/2}$$

**Answer**

(i)  $\left(16^{-\frac{1}{5}}\right)^{\frac{5}{2}}$

We know for any non-zero number a,

$$(a^m)^n = a^{mn}$$

$$\text{So, } \left(16^{-\frac{1}{5}}\right)^{\frac{5}{2}} = 16^{-\frac{1}{2}}$$

As we know  $4^2 = 16$

$$\text{Therefore, } \left(16^{-\frac{1}{5}}\right)^{\frac{5}{2}} = (4^2)^{-\frac{1}{2}}$$

$$= 4^{-1}$$

As we know for any non-zero number a,

$$a^{-1} = 1/a$$

$$\text{So } 4^{-1} = 1/4$$

(ii)  $[(343)^{-2}]^{1/3}$

$$(343^{-2})^{\frac{1}{3}}$$

We know for any non-zero number a,

$$(a^m)^n = a^{mn}$$

$$\text{So, } (343^{-2})^{\frac{1}{3}} = 343^{-\frac{2}{3}}$$

As we know  $7^3 = 343$

$$\text{Therefore, } (343^{-2})^{\frac{1}{3}} = (7^3)^{-\frac{2}{3}}$$

$$= 7^{-2}$$

As we know for any non-zero number a,

$$a^{-1} = 1/a$$

$$\text{So } 7^{-2} = 1/7^2$$

$$= 1/49$$

$$\text{(iii)} \left(\frac{1}{1000}\right)^{1/3} = (1 / 10^3)^{1/3}$$

$$= \frac{1}{10} = 0.1$$

$$\text{(iv)} \frac{(25)^{3/2} \times (243)^{3/5}}{(16)^{5/4} \times (8)^{4/3}}$$

$$\text{We know } 25 = 5^2$$

$$243 = 3^5$$

$$16 = 2^4$$

$$8 = 2^3$$

$$\text{So, } \frac{(5^2)^{\frac{3}{2}} \times (3^5)^{\frac{3}{5}}}{(2^4)^{\frac{5}{4}} \times (2^3)^{\frac{4}{3}}}$$

We know for any non-zero number a,

$$(a^m)^n = a^{mn}$$

So,

$$= \frac{5^3 \times 3^3}{2^5 \times 2^4}$$

$$= \frac{125 \times 27}{32 \times 16}$$

$$= \frac{3375}{512}$$

$$(v) \left(\frac{\sqrt{2}}{5}\right)^8 \div \left(\frac{\sqrt{2}}{5}\right)^{13}$$

We know that for any non-zero number  $a$ ,

$$a^m \div a^n = a^{m-n}$$

So,

$$\frac{\left(\frac{\sqrt{2}}{5}\right)^8}{\left(\frac{\sqrt{2}}{5}\right)^{13}} = \left(\frac{\sqrt{2}}{5}\right)^{8-13} = \left(\frac{\sqrt{2}}{5}\right)^{-5}$$

As we know for any non-zero number  $a$ ,

$$a^{-1} = 1/a \quad \left(\frac{5}{\sqrt{2}}\right)^5 = \frac{3125}{4\sqrt{2}}$$

$$(vi) \left(\frac{5^{-1} \times 7^2}{5^2 \times 7^{-4}}\right)^{7/2} \times \left(\frac{5^{-2} \times 7^3}{5^3 \times 7^{-5}}\right)^{-5/2}$$

We know for any non-zero number  $a$ ,

$$(a^m)^n = a^{mn}$$

So,

$$\begin{aligned} & \left( \frac{(5^{-1})^{\frac{7}{2}} \times (7^2)^{\frac{7}{2}}}{(5^2)^{\frac{7}{2}} \times (7^{-4})^{\frac{7}{2}}} \right) \times \left( \frac{(5^{-2})^{\frac{-5}{2}} \times (7^3)^{\frac{-5}{2}}}{(5^3)^{\frac{-5}{2}} \times (7^{-5})^{\frac{-5}{2}}} \right) \\ &= \left( \frac{5^{-\frac{7}{2}} \times 7^7}{5^7 \times 7^{-14}} \right) \times \left( \frac{5^5 \times 7^{-\frac{15}{2}}}{5^{-\frac{15}{2}} \times 7^{\frac{25}{2}}} \right) \end{aligned}$$

We know for any non-zero number  $a$ ,

$$a^m \times a^n = a^{m+n}$$

$$\begin{aligned}
&= \left( 5^{-\frac{7}{2}-7} \times 7^{7+14} \right) \times \left( 5^{5+\frac{15}{2}} \times 7^{-\frac{15}{2}-\frac{25}{2}} \right) \\
&= \left( 5^{-\frac{7-14}{2}} \times 7^{7+14} \right) \times \left( 5^{\frac{10+15}{2}} \times 7^{\frac{-15-25}{2}} \right) \\
&= \left( 5^{\frac{-21}{2}} \times 7^{21} \right) \times \left( 5^{\frac{25}{2}} \times 7^{\frac{-40}{2}} \right) \\
&= \left( 5^{\frac{-21+25}{2}} \times 7^{21-20} \right) \\
&= \left( 5^{\frac{4}{2}} \times 7^1 \right) \\
&= (5^2 \times 7^1)
\end{aligned}$$

$$= 25 \times 7$$

$$= 175$$

### 3. Question

Prove that:

$$(i) \sqrt[3]{3 \times 5^3} \div \sqrt[3]{3^{-1}} \sqrt{5} \times \sqrt[6]{3 \times 5^6} = \frac{3}{5}$$

$$(ii) 9^{3/2} - 3 \times 5^0 - \left( \frac{1}{81} \right)^{-1/2} = 15$$

$$(iii) \left( \frac{1}{4} \right)^{-2} - 3 \times 8^{2/3} \times 4^0 + \left( \frac{9}{16} \right)^{-1/2} = \frac{16}{3}$$

$$(iv) \frac{2^{1/2} \times 3^{1/3} \times 4^{1/4}}{10^{-1/5} \times 5^{3/5}} \div \frac{3^{4/3} \times 5^{-7/5}}{4^{-3/5} \times 6} = 10$$

$$(v) \sqrt{\frac{1}{4}} + (0.01)^{-1/2} - (27)^{2/3} = \frac{3}{2}$$

$$(vi) \frac{2^n + 2^{n-1}}{2^{n+1} - 2^n} = \frac{3}{2}$$

$$(vii) \left( \frac{64}{125} \right)^{-2/3} + \frac{1}{\left( \frac{256}{625} \right)^{1/4}} + \left( \frac{\sqrt{25}}{\sqrt[3]{64}} \right) = \frac{65}{16}$$

$$(viii) \frac{3^{-3} \times 6^2 \times \sqrt{98}}{5^2 \times \sqrt[3]{1/25} \times (15)^{-4/3} \times 3^{1/3}} = 28\sqrt{2}$$

$$(ix) \frac{(0.6)^0 - (0.1)^{-1}}{\left( \frac{3}{8} \right)^{-1} \left( \frac{3}{2} \right)^3 + \left( -\frac{1}{3} \right)^{-1}} = -\frac{3}{2}$$

**Answer**

$$(i) (3^{1/2+1/6} \cdot 5^{-3/2+1}) / (3^{-1/3} \cdot 5^{1/2})$$

$$= (3^{2/3} \cdot 5^{-1/2}) / (3^{-1/3} \cdot 5^{1/2})$$

$$= (3^{2/3 + 1/3}) / (5^{1/2 + 1/2})$$

$$= 3/5$$

$$(ii) (3^2)^{3/2} - 3 \cdot 1 - (1/9^2)^{-1/2}$$

$$= 3^3 - 3 - 9$$

$$= 27 - 3 - 9$$

$$= 27 - 12$$

$$= 15$$

$$(iii) 2^{(-2)(-2)} - 3 \cdot 8^{2/3} + (3/4)^{-1}$$

$$= 2^4 - 3 \cdot 2^2 + 4/3$$

$$= 16 - 12 + 4/3$$

$$= 16/3$$

$$(iv) [(2 \cdot 3^{1/3}) / (2^{-1/5} \cdot 5^{2/5})] \times (2^{-1/5} \cdot 3) / (3^{4/3} \cdot 5^{7/5})$$

$$= 2 \cdot 3^{1/3 + 1 - 4/3} / 5^{2/5 - 7/5}$$

$$= 2.5$$

$$= 10$$

$$(v) 1/2 + 1/(0.01)^{1/2} - 3^2$$

$$= 1/2 + 10 - 9$$

$$= 1/2 + 1$$

$$= 3/2$$

$$(vi) (2^n + 2^{n-1}) / (2^{n+1} - 2^n)$$

$$= 2^n(1 + 2^{-1}) / 2^n(2-1)$$

$$= [1 + (1/2)]/1$$

$$= 1 + 1/2$$

$$= 3/2$$

$$(vii) (125/64)^{2/3} + (625/256)^{1/4} + (5/4)$$

$$= (5/4)^2 + 5/4 + 5/4$$

$$= 25/16 + 5/4 + 5/4$$

$$= 65/16$$

$$(viii) (3^{-3} \cdot 6^2 \cdot 7(2)^{1/2}) / (5^{4/3} \cdot (15)^{-4/3} \cdot 3^{1/3}) = 28(2)^{1/2}$$

$$(3^{-3} \cdot 36 \cdot 7(2)^{1/2}) / (5^{4/3-4/3} \cdot (3)^{-1})$$

$$(3^{-2} \cdot 36 \cdot 7(2)^{1/2}) / (5^0)$$

$$1/9 \cdot 36 \cdot 7(2)^{1/2}$$

$$28\sqrt{2}$$

$$(ix) \{1 - 1/0.1\} / \{ (3/8)^{-1} (3/2)^3 + (-1/3)^{-1}$$

$$= 1 - 10 / \{ (8/3)(3/2)^3 + (-3) \}$$

$$= -9 / (3^2 - 3)$$

$$= -3/2$$

#### 4. Question

If  $27^x = \frac{9}{3^x}$ , find  $x$ .

#### Answer

We have,

$$(27)^x = 9 / 3^x$$

$$(3^3)^x = 3^2 / 3^x$$

$$3^{3x} = 3^{2-x}$$

$$3x = 2 - x \quad \{ \text{On equating exponents} \}$$

$$3x + x = 2$$

$$4x = 2$$

$$x = \frac{2}{4} = \frac{1}{2}$$

Hence, the value of  $x$  is  $\frac{1}{2}$

#### 5. Question

Find the values of  $x$  in each of the following:

$$(i) 2^{5x} / 2^x = \sqrt[5]{2^{20}}$$

$$(ii) (2^3)^4 = (2^2)^x$$

$$(iii) \left(\frac{3}{5}\right)^x \left(\frac{5}{3}\right)^{2x} = \frac{125}{127}$$

$$(iv) 5^{x-2} \times 3^{2x-3} = 135$$

$$(v) 2^{x-5} \times 5^{x-4} = 5$$

$$(vi) 2^{x-7} \times 5^{x-4} = 1250$$

### Answer

(i) we have,

$$2^{5x} \div 2^x = \sqrt[5]{2^{20}}$$

$$2^{5x}/2^x = 2^{20/5}$$

$$2^{5x-x} = 2^4$$

$$4x = 4$$

$$x=1$$

(ii) We have,

$$(2^3)^4 = (2^2)^x$$

$$2^{3.4} = 2^{2.x}$$

$$12 = 2x$$

$$x=6$$

(iii) We have,

$$\left(\frac{3}{5}\right)^x \left(\frac{5}{3}\right)^{2x} = \frac{125}{127}$$

$$5^{2x-x}/3^{2x-x} = (\frac{5}{3})^3$$

$$5^x/3^x = (\frac{5}{3})^3$$

$$(\frac{5}{3})^x = (\frac{5}{3})^3$$

$$x=3$$

(iv) We have,

$$5^{x-2} \times 3^{2x-3} = 135$$

$$5^{x-2} \times 3^{2x-3} = 5 \times 27$$

$$5^{x-2} \times 3^{2x-3} = 5^1 \times 3^3$$

$$x-2 = 1 ; 2x-3 = 3$$

$$x=3 ; x= 3$$

(v) We have,

$$2^{x-5} \times 5^{x-4} = 5$$

$$2^{x-5} \times 5^{x-4} = 5^1 \times 2^0$$

$$x-5=0 ; x-4 = 1$$

$$x= 4 ; x=1 +4 = 5$$

(vi) We have,

$$2^{x-7} \times 5^{x-4} = 1250$$

$$2^{x-7} \times 5^{x-4} = 2^1 \times 5^4$$

$$x - 7=1; x-4 = 4$$

$$x= 8; x= 4+4 = 8$$

## CCE - Formative Assessment

### 1. Question

Write  $(625)^{-1/4}$  in decimal form.

#### Answer

$$\frac{1}{(625)^{\frac{1}{4}}} = \frac{1}{(5^4)^{\frac{1}{4}}} = \frac{1}{5} \\ = 0.2$$

### 2. Question

State the product law of exponents.

#### Answer

The product law of exponent states that while multiplying two parts having same base, you can add the exponents.

### 3. Question

State the quotient law of exponents.

#### Answer

The quotient law of exponent states that to divide two exponents with the same base, you keep the base and subtract the powers.

### 4. Question

State the power law of exponents.

### Answer

The power law of exponents states that:

$$(a^n)^m = a^{n \cdot m}$$

Example:  $(2^3)^2 = 2^{3 \cdot 2}$

$$= 2^6 = 64$$

### 5. Question

For any positive real number  $x$ , find the value of  $\left(\frac{x^a}{x^b}\right)^{a+b} \times \left(\frac{x^b}{x^c}\right)^{b+c} \times \left(\frac{x^c}{x^a}\right)^{c+a}$

### Answer

$$x^{(a-b)(a+b)} \times x^{(b-c)(b+c)} \times x^{(c-a)(c+a)}$$

$$= x^{a \cdot a - b \cdot b} \times x^{b \cdot b - c \cdot c} \times x^{c \cdot c - a \cdot a}$$

$$= x^{a \cdot a - b \cdot b + b \cdot b - c \cdot c + c \cdot c - a \cdot a}$$

$$= x^0 = 1$$

### 6. Question

Write the value of  $\{5(8^{1/3} + 27^{1/3})^3\}^{1/4}$

### Answer

$$\{5(8^{1/3} + 27^{1/3})^3\}^{1/4}$$

$$= \{5(2+3)^3\}^{1/4}$$

$$= (5^4)^{1/4} = 5$$

### 7. Question

Simplify  $[(625)^{\frac{1}{2}}]^{-\frac{1}{4}}^2$ .

### Answer

$$[(625)^{\frac{1}{2}}]^{-\frac{1}{4}}^2$$

$$= 625^{\frac{1}{2} \cdot -\frac{1}{4} \cdot 2}$$

$$= 625^{-\frac{1}{4}} = \frac{1}{5^4}$$

$$= \frac{1}{5}$$

### 5. Question

For any positive real number  $x$ , write the value of  $\{(x^a)^b\}^{\frac{1}{ab}} \{(x^b)^c\}^{\frac{1}{bc}} \{(x^c)^a\}^{\frac{1}{ca}}$

### Answer

$$(x)^{ab} \cdot 1/ab \cdot (x)^{bc} \cdot 1/bc \cdot x^{ca} \cdot 1/ca$$

$$= x \cdot x \cdot x$$

$$= x^3$$

### 9. Question

If  $(x-1)^3 = 8$ , what is the value of  $(x+1)^2$

### Answer

$$(x - 1)^3 = 8$$

$$x - 1 = 2$$

$$x = 3$$

$$(x + 1)^2 = (3 + 1)^2$$

$$= 4^2 = 16$$

### 10. Question

If  $2^4 \times 4^2 = 16x$ , then find the value of  $x$ .

### Answer

$$2^4 \times 2^4 = 16x$$

$$2^8 = 2^4 \times x$$

$$x = 2^4 = 16$$

### 11. Question

If  $3^{x-1} = 9$  and  $4^{y+2} = 64$ , What is the value of  $\frac{x}{y}$ .

### Answer

$$3^{x-1} = 3^2$$

$$x - 1 = 2$$

$$x = 3$$

$$\frac{4}{3}y + 2 = 4^3$$

$$y + 2 = 3$$

$$y = 1$$

$$x / y = 3/1 = 3$$

### 12. Question

Write the value of  $\sqrt[3]{7} \times \sqrt[3]{49}$ .

#### Answer

$$\sqrt[3]{7} \times \sqrt[3]{49}$$

$$= (7 \cdot 7^2)^{1/3}$$

$$= (7)^{3 \times 1/3}$$

$$= 7$$

### 13. Question

Write  $\left(\frac{1}{9}\right)^{-1/2} \times (64)^{-1/3}$  as a rational number.

#### Answer

$$\left(\frac{1}{9}\right)^{-1/2} \times (64)^{-1/3}$$

$$= (3^2)^{1/2} \times (1/4^3)^{-1/3}$$

$$= 3 \times 1/4 = 3/4$$

### 14. Question

Write the value of  $\sqrt[3]{125 \times 27}$ .

#### Answer

$$\sqrt[3]{125 \times 27}$$

$$= (5^3 \times 3^3)^{1/3}$$

$$= 5 \times 3$$

$$= 15$$

### 1. Question

The value of  $\{2-3(2-3)^3\}^3$  is

- A. 5
- B. 125
- C. 1/5
- D. -125

**Answer**

$$\begin{aligned}& \{2-3(2-3)^3\}^3 \\&= \{2 - 3(-1)^3\}^3 \\&= \{2 + 3\}^3 \\&= 5^3 = 125\end{aligned}$$

**2. Question**

$$(256)^{0.16} \times (256)^{0.09}$$

- A. 4
- B. 16
- C. 64
- D. 256.25

**Answer**

$$\begin{aligned}& (256)^{0.16} \times (256)^{0.09} \\&= (256)^{0.16 + 0.09} \\&= (256)^{0.25} \\&= 4^4 \times \frac{1}{4} = 4\end{aligned}$$

**3. Question**

If  $10^{2y} = 25$ , then  $10^{-y}$  equals

- A.  $-\frac{1}{5}$
- B.  $\frac{1}{50}$
- C.  $\frac{1}{625}$
- D.  $\frac{1}{5}$

**Answer**

$$10^{2y} = 25$$

$$= 10^y = x$$

$$= x^2 = 5^2$$

$$= x = 5$$

$$= 1/x = 10^{-y}$$

$$= 1/5$$

#### 4. Question

The value of  $x - y^{x-y}$  when  $x = 2$  and  $y = -2$  is

A. 18

B. -18

C. 14

D. -14

#### Answer

$$x - y^{x-y}$$

$$= 2 - (-2)^{2+2}$$

$$= 2 - 16 = -14$$

#### 5. Question

The product of the square root of  $x$  with the cube root of  $x$  is

A. Cube root of the square root of  $x$

B. Sixth root of the fifth power of  $x$

C. Fifth root of the sixth power of  $x$

D. Sixth root of  $x$

#### Answer

$$\sqrt{x} \times \sqrt[3]{x}$$

$$= x^{1/2} \times x^{1/3}$$

$$= x^{5/6}$$

#### 6. Question

If  $9^{x+2} = 240 + 9^x$ , then  $x =$

A. 0.5

B. 0.2

C. 0.4

D. 0.1

**Answer**

$$9^x + 2 = 240 + 9^x$$

$$9^x \times 9^2 = 240 + 9^x$$

$$\text{Let } 9^x = y$$

$$81y = 240 + y$$

$$80y = 240$$

$$y = \frac{240}{80}$$

$$9^x = 3$$

$$3^{2x} = 3$$

$$2x = 1$$

$$x = \frac{1}{2} = 0.5$$

**7. Question**

The seventh root of  $x$  divided by the eighth root of  $x$  is

A.  $x$

B.  $\sqrt{x}$

C.  $\sqrt[56]{x}$

D.  $\frac{1}{\sqrt[56]{x}}$

**Answer**

$$x^{1/7} / x^{1/8}$$

$$= (x)^{1/7 - 1/8}$$

$$= (x)^{1/56}$$

$$= \sqrt[56]{x}$$

**8. Question**

The square root of 64 divided by the cube root of 64 is

A. 64

B. 2

C.  $\frac{1}{2}$

D.  $64^{2/3}$

### Answer

As 64 can be written as  $64 = 2 \times 2 \times 2 \times 2 \times 2 \times 2$  so  $64 = 2^6$   $\sqrt[6]{64} = \sqrt{(2^6)} = (2^6)^{1/2} = 2^3 = 8$   $\sqrt[3]{64} = (2^6)^{1/3} = 2^2 = 4$   $\frac{\sqrt[3]{64}}{\sqrt[3]{64}} = \frac{8}{4} = 2$

### 9. Question

Which of the following is (are) not equal to  $\left\{ \left( \frac{5}{6} \right)^{1/5} \right\}^{-1/6}$ ?

A.  $\left( \frac{5}{6} \right)^{1/5 - 1/6}$

B.  $\frac{1}{\left\{ \left( \frac{5}{6} \right)^{1/5} \right\}^{1/6}}$

C.  $\left( \frac{6}{5} \right)^{1/30}$

D.  $\left( \frac{5}{6} \right)^{-1/30}$

### Answer

$$\begin{aligned} & \left\{ \left( \frac{5}{6} \right)^{1/5} \right\}^{-1/6} \\ &= 1 / \left\{ \left( \frac{5}{6} \right)^{1/5} \right\}^{1/5} \\ &= \left( \frac{5}{6} \right)^{-1/30} \\ &= \left( \frac{6}{5} \right)^{1/30} \end{aligned}$$

### 10. Question

When simplified  $(x^{-1} + y^{-1})^{-1}$  is equal to

A.  $xy$

B.  $x + y$

C.  $\frac{xy}{x+y}$

D.  $\frac{x+y}{xy}$

**Answer**

$$(x^{-1} + y^{-1})^{-1}$$

$$= \left(\frac{1}{x} + \frac{1}{y}\right)^{-1}$$

$$= \left(\frac{x+y}{xy}\right)^{-1}$$

$$= \left(\frac{xy}{x+y}\right)$$

**11. Question**

If  $8^{x+1} = 64$ , what is the value of  $3^{2x+1}$ ?

- A. 1
- B. 3
- C. 9
- D. 27

**Answer**

$$8^{x+1} = 64$$

$$= 8^{x+1} = 8^2$$

On equating powers, we get

$$x+1 = 2$$

$$x = 1$$

$$= 3^{2x+1}$$

$$= 3^3 = 27$$

**12. Question**

If  $0 < y < x$ , which statement must be true?

A.  $\sqrt{x} - \sqrt{y} = \sqrt{x-y}$

B.  $\sqrt{x} + \sqrt{y} = \sqrt{2x}$

C.  $x\sqrt{y} = y\sqrt{x}$

D.  $\sqrt{xy} = \sqrt{x}\sqrt{y}$

**Answer**

Since, it is the property of square roots.

**13. Question**

If  $x$  is a positive real number and  $x^2 = 2$ , then  $x^3 =$

- A.  $\sqrt{2}$
- B.  $2\sqrt{2}$
- C.  $3\sqrt{2}$
- D. 4

**Answer**

$$x^2 = 2$$

$$x = \sqrt{2}$$

$$x^3 = (2)^{1/2} \times 3$$

$$= 2\sqrt{2}$$

**14. Question**

If  $(2^3)^2 = 4^x$ , then  $3^x =$

- A. 3
- B. 6
- C. 9
- D. 27

**Answer**

$$(2^3)^2 = 2^{2x}$$

$$2x = 6$$

$$x = 3$$

**15. Question**

If  $10^x = 64$ , what is the value of  $10^{\frac{x}{2}+1}$ ?

- A. 18
- B. 42
- C. 80
- D. 81

**Answer**

$10^{\frac{x}{2}+1}$  can be written as:  $(10^x)^{1/2} \times 10$

$$= (64)^{1/2} \times 10$$

$$= 8 \times 10$$

$$= 80$$

**16. Question**

If  $\frac{x}{x^{1.5}} = 8x^{-1}$  and  $x > 0$ , then  $x =$

A.  $\frac{\sqrt{2}}{4}$

B.  $2\sqrt{2}$

C. 4

D. 64

**Answer**

$$\frac{x}{x^{1.5}} = 8x^{-1}$$

$$\Rightarrow \frac{x}{x^{1.5}} = \frac{8}{x}$$

$$\Rightarrow x^{1+1-1.5} = 8$$

$$\Rightarrow x^{\frac{1}{2}} = 64^{\frac{1}{2}}$$

$$\Rightarrow x = 64$$

**17. Question**

If  $g = t^{2/3} + 4t^{-1/2}$ , what is the value of  $g$  when  $t = 64$ ?

A.  $\frac{31}{2}$

B.  $\frac{33}{2}$

C. 16

D.  $\frac{257}{16}$

**Answer**

$$g = t^{2/3} + 4t^{-1/2}$$

$$= (64)^{2/3} + 4(64)^{-1/2}$$

$$= [(64)^{1/3}]^3 + 4 \left(\frac{1}{64}\right)^{1/2}$$

$$= 4^2 + 4 \left(\frac{1}{8}\right)$$

$$= 16 + \frac{1}{2} = \frac{33}{2}$$

**18. Question**

If  $x^{-2} = 64$ , then  $x^{1/3} + x^0 =$

- A. 2
- B. 3
- C. 3/2
- D. 2/3

**Answer**

$$\left(\frac{1}{x}\right)^2 = (8)^2$$

$$\frac{1}{x} = 8$$

$$x = \frac{1}{8}$$

$$x^{1/3} + x^0$$

$$= \left(\frac{1}{8}\right)^{1/3} + \left(\frac{1}{8}\right)^0$$

$$= \frac{1}{2} + 1 = \frac{3}{2}$$

**19. Question**

If  $4^x - 4^{x-1} = 24$ , then  $(2x)^x$  equals

A.  $5\sqrt{5}$

B.  $\sqrt{5}$

C.  $25\sqrt{5}$

D. 125

**Answer**

$$4^x - 4^{x-1} = 24$$

Let  $4x = y$

$$y - \frac{y}{4} = 24$$

$$4y - y = 96$$

$$y = 32$$

$$4^x = 32$$

$$2^{2x} = 2^5$$

$$(2x)^x = (2 \times \frac{5}{2})^{5/2}$$

$$= (5)^{5/2} = 25\sqrt{5}$$

**20. Question**

When simplified  $\left(-\frac{1}{27}\right)^{-2/3}$  is

A. 9

B. -9

C.  $\frac{1}{9}$

D.  $-\frac{1}{9}$

**Answer**

$$(-27)^{2/3}$$

$$= (3)^3 \times 2/3$$

$$= 9$$

**21. Question**

Which one of the following is not equal to  $(\sqrt[3]{8})^{-1/2}$  ?

A.  $(\sqrt[3]{2})^{-1/2}$

B.  $8^{-1/6}$

C.  $\frac{1}{(\sqrt[3]{8})^{1/2}}$

D.  $\frac{1}{\sqrt{2}}$

**Answer**

$$1 / (8)^{-1/2} \times 1/3$$

$$= 2^{-1/2}$$

$$= \frac{1}{\sqrt{2}}$$

## 22. Question

Which one of the following is not equal to  $\left(\frac{100}{9}\right)^{-3/2}$  ?

A.  $\left(\frac{100}{9}\right)^{3/2}$

B.  $\frac{1}{\left(\frac{100}{9}\right)^{3/2}}$

C.  $\frac{3}{10} \times \frac{3}{10} \times \frac{3}{10}$

D.  $\sqrt{\frac{100}{9} \times \frac{100}{9} \times \frac{100}{9}}$

## Answer

$$1 / (100/9)^{3/2}$$

$$= (10/3)^{-3/2 \times 2}$$

$$= \frac{3}{10} \times \frac{3}{10} \times \frac{3}{10}$$

## 23. Question

When simplified  $(256)^{-(4^{-2/3})}$  is

A. 8

B.  $\frac{1}{8}$

C. 2

D.  $\frac{1}{2}$

## Answer

$$1 / 256^{1/8}$$

$$= 1/2^{8 \times 1/8}$$

$$= 1/2$$

## 24. Question

$\frac{5^{n+2} - 6 \times 5^{n+1}}{13 \times 5^n - 2 \times 5^{n+1}}$  is equal to

A.  $\frac{5}{3}$

B.  $-\frac{5}{3}$

C.  $\frac{3}{5}$

D.  $-\frac{3}{5}$

**Answer**

$$5^n (25 - 30) / 5^n (13 - 10)$$

$$= -5 / 3$$

**25. Question**

If  $a, b, c$  are positive real numbers, then  $\sqrt{a^{-1}b} \times \sqrt{b^{-1}c} \times \sqrt{c^{-1}a}$  is equal to

A. 1

B.  $abc$

C.  $\sqrt{abc}$

D.  $\frac{1}{abc}$

**Answer**

$$(b/a)^{1/2} \times (c/b)^{1/2} \times (a/c)^{1/2}$$

$$= (b/a \times c/b \times a/c)^{1/2}$$

$$= 1$$

**26. Question**

If  $\frac{3^{2x-8}}{225} = \frac{5^3}{5^x}$ , then  $x =$

A. 2

B. 3

C. 5

D. 4

**Answer**

$$\frac{3^{2x-8}}{225} = \frac{5^3}{5^x}$$

$$= 5^x \times 3^{2x-8} = 5^5 \times 3^3$$
 Comparing the coefficient of  $x$  we get,

$$= x = 5$$

**27. Question**

If  $\left(\frac{2}{3}\right)^x \left(\frac{3}{2}\right)^{2x} = \frac{81}{16}$ , then  $x =$

- A. 2
- B. 3
- C. 4
- D. 1

**Answer**

$$(3/2)^{-x} (3/2)^{2x} = (3/2)^4$$

$$= (3/2)^{-x + 2x} = (3/2)^4$$

$$= -x + 2x = 4$$

$$= x = 4$$

**28. Question**

The value of  $\{8^{-4/3} \div 2^{-2}\}^{1/2}$  is

- A.  $\frac{1}{2}$
- B. 2
- C.  $\frac{1}{4}$
- D. 4

**Answer**

$$\{8^{-4/3} \div 2^{-2}\}^{1/2}$$

$$= \{2^{-4} \div 2^{-2}\}^{1/2}$$

$$= \{1/16 \times 2^2\}^{1/2}$$

$$= \frac{1}{2}$$

**29. Question**

If  $a, b, c$  are positive real numbers, then  $\sqrt[5]{3125a^{10}b^5c^{10}}$  is equal to

- A.  $5a^2bc^2$
- B.  $25ab^2c$
- C.  $5a^3bc^3$
- D.  $125a^2bc^2$

**Answer**

$$(3125a^{10}b^5c^{10})^{1/5}$$

$$= 5a^2bc^2$$

**30. Question**

The value of  $64^{-1/3} (64^{1/3} - 64^{2/3})$ , is

A. 1

B.  $\frac{1}{3}$

C. -3

D. -2

**Answer**

$$64^{-1/3} (64^{1/3} - 64^{2/3})$$

$$= 4^{-1} (4 - 4^2)$$

$$= \frac{1}{4} (4 - 16)$$

$$= \frac{-12}{4} = -3$$

**31. Question**

If  $\sqrt[5^n]{n} = 125$ , then  $5\sqrt[5]{64} =$

A. 25

B.  $\frac{1}{125}$

C. 625

D. 10

**Answer**

$$\sqrt[5^n]{n} = 125$$

$$5^{n/2} = 5^3$$

$$n/2 = 3$$

$$n = 6$$

$$5\sqrt[5]{64} = 5 (64)^{1/6}$$

$$= 5 (2)^{6/6} = 10$$

**32. Question**

If  $(16)^{2x+3} = (64)^{x+3}$ , then  $4^{2x-2} =$

A. 64

B. 256

C. 32

D. 512

**Answer**

$$4^{4x+6} = 4^{3x+9}$$

$$= 4x + 6 = 3x + 9$$

$$= x = 3$$

$$4^{2x-2} = 4^4$$

$$= 256$$

**33. Question**

If  $a, m, n$  are positive integers, then  $\left\{m\sqrt{n\sqrt{a}}\right\}^{mn}$  is equal to

A.  $a^{mn}$

B.  $a$

C.  $a^{m/n}$

D. 1

**Answer**

$$\left\{m\sqrt{n\sqrt{a}}\right\}^{mn}$$

We know for any non-zero number  $a$ ,

$$a^m \times a^n = a^{m+n}$$

$$= \left\{\left(a^{\frac{1}{n}}\right)^{\frac{1}{m}}\right\}^{mn}$$

$$\text{Again using } (a^m)^n = a^{mn} \text{ we get, } = \left\{a^{\frac{1}{mn}}\right\}^{mn}$$

=a

### 34. Question

If  $2^{-m} \times \frac{1}{2^m} = \frac{1}{4}$ , then  $\frac{1}{14} \left[ (4^m)^{1/2} + \left(\frac{1}{5^m}\right)^{-1} \right]$  is equal to

A.  $\frac{1}{2}$

B. 2

C. 4

D.  $-\frac{1}{4}$

### Answer

$$2^{-m} \times 1 / 2^m = 1/4$$

$$= 1/2^m \times 1/2^m = 1/4$$

$$= 1/4^m = 1/4$$

$$= m = 1$$

$$\frac{1}{14} \{(4^m)^{1/2} + (1/5^m)^{-1}\}$$

$$= 1/14 \{2 + 5\}$$

$$= 1/14 \times 7$$

$$= \frac{1}{2}$$

### 35. Question

If  $x = 2$  and  $y = 4$ , then  $\left(\frac{x}{y}\right)^{x-y} + \left(\frac{y}{x}\right)^{y-x} =$

A. 4

B. 8

C. 12

D. 2

### Answer

$$(2/4)^{2-4} + (4/2)^{4-2}$$

$$= (1/2)^{-2} + 2^2$$

$$= 2^2 + 2^2$$

$$= 8$$

**36. Question**

The value of  $m$  for which  $\left[ \left( \left( \frac{1}{7^2} \right)^{-2} \right)^{-1/3} \right]^{1/4} = 7^m$ , is

A.  $-\frac{1}{3}$

B.  $\frac{1}{4}$

C. -3

D. 2

**Answer**

$$[\{7^4\}^{-1/3}]^{1/4}$$

$$= (1/7^4)^{1/3} \times 1/4$$

$$= (1/7)^{1/3} = 7^m$$

$$= 7^{-1/3} = 7^m$$

$$= m = -1/3$$

**37. Question**

If  $\frac{2^{m+n}}{2^{n-m}} = 16$ , and  $a = 2^{1/10}$ , then  $\frac{a^{2m+n-p}}{(a^{m-2n+2p})^{-1}} =$

A. 2

B.  $\frac{1}{4}$

C. 9

D.  $\frac{1}{8}$

**Answer**

$$\frac{2^m + n}{2^{n-m}} = 2^4 \quad 2^{m+n-n+m} = 2^4 \quad 2^{2m} = 2^4 \quad 2m = 4 \quad m = 2 \quad \text{Also } a = 2^{1/10}$$

$$\frac{a^{2m+n-p}}{(a^{m-2n+2p})^{-1}} = a^{2m+n-p} \times a^{m-2n+2p}$$

$$= a^{2m+m+n-2n-p+2p} = a^{3m-n+p}$$

$$= \left(2^{\frac{1}{10}}\right)^{3m-n+p}$$

$$= \left(2^{\frac{1}{10}}\right)^{3(2)-n+p}$$

$$= \left(2^{\frac{1}{10}}\right)^{6-n+p}$$

**38. Question**

The value of  $\{(23+2^2)^{2/3} + (140-19)^{1/2}\}^2$ , is

- A. 196
- B. 289
- C. 324
- D. 400

**Answer**

$$[(23 + 2^2)^{\frac{2}{3}} + (140 - 19)^{\frac{1}{2}}]^2$$

$$= [27^{\frac{2}{3}} + 121^{\frac{1}{2}}]^2$$

$$= \{3^2 + 11\}^2$$

$$= (9 + 11)^2$$

$$= (20)^2 = 400$$

**39. Question**

If  $\sqrt[3]{2^n} = 1024$ , then  $3^{\frac{n(n-1)}{2}} =$

- A. 3
- B. 9
- C. 27
- D. 81

**Answer**

$$\sqrt{2^n} = 2^{10}$$

$$2^{n/2} = 2^{10}$$

$$\frac{n}{2} = 10$$

$$n = 20$$

$$= 3^2 (n/4 - 4)$$

$$= 3^2 (20/4 - 4)$$

$$= 3^2 = 9$$

#### 40. Question

If  $\frac{3^{5x} \times 81^2 \times 6561}{3^{2x}} = 3^7$ , then  $x =$

A. 3

B. -3

C.  $\frac{1}{3}$

D.  $-\frac{1}{3}$

#### Answer

$$\frac{3^{5x} \times 81^2 \times 6561}{3^{2x}} = 3^7$$

$$= 3^{5x} \times 3^8 \times 3^8 / 3^{2x} = 3^7$$

$$= 3^{5x+16-2x} = 3^7$$

$$= 5x + 16 - 2x = 7$$

$$= 3x + 16 = 7$$

$$= 3x = -9$$

$$x = -3$$