

## 4. Angles, Lines and Triangles

### Exercise 4A

#### 1. Question

Define the following terms:

- (i) Angle
- (ii) Interior of an angle
- (iii) Obtuse angle
- (iv) Reflex angle
- (v) Complementary angles
- (vi) Supplementary angles

#### Answer

(i) Angle – A shape formed by two lines or rays diverging from a common vertex.

Types of angle: (a) Acute angle (less than  $90^\circ$ )

(b) Right angle (exactly  $90^\circ$ )

(c) Obtuse angle (between  $90^\circ$  and  $180^\circ$ )


(d) Straight angle (exactly  $180^\circ$ )

(e) Reflex angle (between  $180^\circ$  and  $360^\circ$ )


(f) Full angle (exactly  $360^\circ$ )

(ii) Interior of an angle – The area between the rays that make up an angle and extending away from the vertex to infinity.


The interior angles of a triangle always add up to  $180^\circ$ .




(iii) Obtuse angle – It is an angle that measures between 90 to 180 degrees.




(iv) Reflex angle – It is an angle that measures between 180 to 360 degrees.



(v) Complementary angles – Two angles are called complementary angles if the sum of two angles is 90°.



(vi) Supplementary angles – Angles are said to be supplementary if the sum of two angles is 180°.



## 2. Question

If  $\angle A = 36^\circ 27' 46''$  and  $\angle B = 28^\circ 43' 39''$ , find  $\angle A + \angle B$ .

**Answer**

$65^\circ 11' 25''$

$\angle A + \angle B = 36^\circ 27' 46'' + 28^\circ 43' 39''$

$= 64^\circ 70' 85''$

$\therefore 60' = 1^\circ \Rightarrow 70' = 1^\circ 10'$

$$60'' = 1' \Rightarrow 85'' = 1' 25''$$

$$\therefore \angle A + \angle B = 65^\circ 11' 25''$$

### 3. Question

Find the difference between two angles measuring  $36^\circ$  and  $24^\circ 28' 30''$

#### Answer

$$11^\circ 31' 30''$$

$$36^\circ - 24^\circ 28' 30'' = 35^\circ 59' 60'' - 24^\circ 28' 30''$$

$$= 11^\circ 31' 30''$$

### 4. Question

Find the complement of each of the following angles.

(i)  $58^\circ$

(ii)  $16^\circ$

(iii)  $\frac{2}{3}$  of a right angle

(iv)  $46^\circ 30'$

(v)  $52^\circ 43' 20''$

(vi)  $68^\circ 35' 45''$

#### Answer

(i)  $32^\circ$

Complement of angle =  $90^\circ - \theta$

Complement of  $58^\circ = 90^\circ - 58^\circ$

$$= 32^\circ$$

(ii)  $74^\circ$

Complement of angle =  $90^\circ - \theta$

Complement of  $16^\circ = 90^\circ - 16^\circ$

$$= 74^\circ$$

(iii)  $30^\circ$

Right angle =  $90^\circ$

$$\frac{2}{3} \text{ of a right angle} = \frac{2}{3} \times 90^\circ$$

$$= 60^\circ$$

Complement of  $60^\circ = 90^\circ - 60^\circ$

$$= 30^\circ$$

(iv)  $43^{\circ}30'$

Complement of angle =  $90^{\circ} - \theta$

$$\begin{aligned}\text{Complement of } 46^{\circ}30' &= 90^{\circ} - 46^{\circ}30' \\ &= 89^{\circ}60' - 46^{\circ}30'\end{aligned}$$

(v)  $37^{\circ}16'40''$

Complement of angle =  $90^{\circ} - \theta$

$$\begin{aligned}\text{Complement of } 52^{\circ}43'20'' &= 90^{\circ} - 52^{\circ}43'20'' \\ &= 89^{\circ}59'60'' - 52^{\circ}43'20'' \\ &= 37^{\circ}16'40''\end{aligned}$$

(vi)  $21^{\circ}24'15''$

Complement of angle =  $90^{\circ} - \theta$

$$\begin{aligned}\text{Complement of } 68^{\circ}35'45'' &= 90^{\circ} - 68^{\circ}35'45'' \\ &= 89^{\circ}59'60'' - 68^{\circ}35'45'' \\ &= 68^{\circ}35'45''\end{aligned}$$

### 5. Question

Find the supplement of each of the following angles.

(i)  $63^{\circ}$

(ii)  $138^{\circ}$

(iii)  $\frac{3}{5}$  of a right angle

(iv)  $75^{\circ}36'$

(v)  $124^{\circ}20'40''$

(vi)  $108^{\circ}48'32''$

### Answer

(i)  $117^{\circ}$

Supplement of angle =  $180^{\circ} - \theta$

$$\begin{aligned}\text{Supplement of } 63^{\circ} &= 180^{\circ} - 63^{\circ} \\ &= 117^{\circ}\end{aligned}$$

(ii)  $42^{\circ}$

Supplement of angle =  $180^{\circ} - \theta$

$$\begin{aligned}\text{Supplement of } 138^{\circ} &= 180^{\circ} - 138^{\circ} \\ &= 42^{\circ}\end{aligned}$$

(iii)  $126^{\circ}$

Right angle =  $90^\circ$

$$\frac{3}{5} \text{ of a right angle} = \frac{3}{5} \times 90^\circ$$

$$= 54^\circ$$

$$\text{Supplement of } 54^\circ = 180^\circ - 54^\circ$$

$$= 126^\circ$$

(iv)  $104^\circ 24'$

$$\text{Supplement of angle} = 180^\circ - \theta$$

$$\text{Supplement of } 75^\circ 36' = 180^\circ - 75^\circ 36'$$

$$= 179^\circ 60' - 75^\circ 36'$$

$$= 104^\circ 24'$$

(v)  $55^\circ 39' 20''$

$$\text{Supplement of angle} = 180^\circ - \theta$$

$$\text{Supplement of } 124^\circ 20' 40'' = 180^\circ - 124^\circ 20' 40''$$

$$= 179^\circ 59' 60'' - 124^\circ 20' 40''$$

$$= 55^\circ 39' 20''$$

(vi)  $71^\circ 11' 28''$

$$\text{Supplement of angle} = 180^\circ - \theta$$

$$\text{Supplement of } 108^\circ 48' 32'' = 180^\circ - 108^\circ 48' 32''$$

$$= 179^\circ 59' 60'' - 108^\circ 48' 32''$$

$$= 71^\circ 11' 28''$$

## 6. Question

Find the measure of an angle which is

(i) equal to its complement,

(ii) equal to its supplement.

## Answer

(i)  $45^\circ$

Let, measure of an angle =  $X$

Complement of  $X = 90^\circ - X$

Hence,

$$\Rightarrow X = 90^\circ - X$$

$$\Rightarrow 2X = 90^\circ$$

$$\Rightarrow X = 45^\circ$$

Therefore measure of an angle =  $45^\circ$

(ii)  $90^\circ$

Let, measure of an angle =  $X$

Supplement of  $X = 180^\circ - X$

Hence,

$$\Rightarrow X = 180^\circ - X$$

$$\Rightarrow 2X = 180^\circ$$

$$\Rightarrow X = 90^\circ$$

Therefore measure of an angle =  $90^\circ$

### 7. Question

Find the measure of an angle which is  $36^\circ$  more than its complement.

**Answer**

$63^\circ$

Let, measure of an angle =  $X$

Complement of  $X = 90^\circ - X$

According to question,

$$\Rightarrow X = (90^\circ - X) + 36^\circ$$

$$\Rightarrow X + X = 90^\circ + 36^\circ$$

$$\Rightarrow 2X = 126^\circ$$

$$\Rightarrow X = 63^\circ$$

Therefore measure of an angle =  $63^\circ$

### 8. Question

Find the measure of an angle which  $25^\circ$  less than its supplement.

**Answer**

$(77.5)^\circ$

Let, measure of an angle =  $X$

Supplement of  $X = 180^\circ - X$

According to question,

$$\Rightarrow X = (180^\circ - X) - 25^\circ$$

$$\Rightarrow X + X = 180^\circ - 25^\circ$$

$$\Rightarrow 2X = 155^\circ$$

$$\Rightarrow X = (77.5)^\circ$$

Therefore measure of an angle =  $(77.5)^\circ$

### 9. Question

Find the angle which is four times its complement.

#### Answer

$72^\circ$

Let the angle =  $X$

Complement of  $X = 90^\circ - X$

According to question,

$$\Rightarrow X = 4(90^\circ - X)$$

$$\Rightarrow X = 360^\circ - 4X$$

$$\Rightarrow X + 4X = 360^\circ$$

$$\Rightarrow 5X = 360^\circ$$

$$\Rightarrow X = 72^\circ$$

Therefore angle =  $72^\circ$

### 10. Question

Find the angle which is five times its supplement.

#### Answer

$150^\circ$

Let the angle =  $X$

Supplement of  $X = 180^\circ - X$

According to question,

$$\Rightarrow X = 5(180^\circ - X)$$

$$\Rightarrow X = 900^\circ - 5X$$

$$\Rightarrow X + 5X = 900^\circ$$

$$\Rightarrow 6X = 900^\circ$$

$$\Rightarrow X = 150^\circ$$

Therefore angle =  $150^\circ$

### 11. Question

Find the angle whose supplement is four times its complement.

#### Answer

$60^\circ$

Let the angle =  $X$

Complement of  $X = 90^\circ - X$

Supplement of  $X = 180^\circ - X$

According to question,

$$\Rightarrow 180^\circ - X = 4(90^\circ - X)$$

$$\Rightarrow 180^\circ - X = 360^\circ - 4X$$

$$\Rightarrow -X + 4X = 360^\circ - 180^\circ$$

$$\Rightarrow 3X = 180^\circ$$

$$\Rightarrow X = 60^\circ$$

Therefore angle =  $60^\circ$

### 12. Question

Find the angle whose complement is four times its supplement.

#### Answer

$180^\circ$

Let the angle =  $X$

Complement of  $X = 90^\circ - X$

Supplement of  $X = 180^\circ - X$

According to question,

$$\Rightarrow 90^\circ - X = 4(180^\circ - X)$$

$$\Rightarrow 180^\circ - X = 720^\circ - 4X$$

$$\Rightarrow -X + 4X = 720^\circ - 180^\circ$$

$$\Rightarrow 3X = 540^\circ$$

$$\Rightarrow X = 180^\circ$$

Therefore angle =  $180^\circ$

### 13. Question

Two supplementary angles are in the ratio 3:2 Find the angles.

#### Answer

$108^\circ, 72^\circ$

Let angle =  $X$

Supplementary of  $X = 180^\circ - X$

According to question,

$$X : 180^\circ - X = 3 : 2$$

$$\Rightarrow X / (180^\circ - X) = 3 / 2$$



$$\Rightarrow 2X = 3(180^\circ - X)$$

$$\Rightarrow 2X = 540^\circ - 3X$$

$$\Rightarrow 2X + 3X = 540^\circ$$

$$\Rightarrow 5X = 540^\circ$$

$$\Rightarrow X = 108^\circ$$

Therefore angle =  $108^\circ$

And its supplement =  $180^\circ - 108^\circ = 72^\circ$

#### 14. Question

Two complementary angles are in the ratio 4:5 Find the angles.

#### Answer

$40^\circ, 50^\circ$

Let angle =  $X$

Complementary of  $X = 90^\circ - X$

According to question,

$$X : 90^\circ - X = 4 : 5$$

$$\Rightarrow X / (90^\circ - X) = 4 / 5$$

$$\Rightarrow 5X = 4(90^\circ - X)$$

$$\Rightarrow 5X = 360^\circ - 4X$$

$$\Rightarrow 5X + 4X = 360^\circ$$

$$\Rightarrow 9X = 360^\circ$$

$$\Rightarrow X = 40^\circ$$

Therefore angle =  $40^\circ$

And its supplement =  $90^\circ - 40^\circ = 50^\circ$

#### 15. Question

Find the measure of an angle, if seven times its complement is  $10^\circ$  less than three times its supplement.

#### Answer

$25^\circ$

Let the measure of an angle =  $X$

Complement of  $X = 90^\circ - X$

Supplement of  $X = 180^\circ - X$

According to question,

$$\Rightarrow 7(90^\circ - X) = 3(180^\circ - X) - 10^\circ$$

$$\Rightarrow 630^\circ - 7X = 540^\circ - 3X - 10^\circ$$

$$\Rightarrow -7X + 3X = 540^\circ - 10^\circ - 630^\circ$$

$$\Rightarrow -4X = 100^\circ$$


$$\Rightarrow X = 25^\circ$$

Therefore measure of an angle =  $25^\circ$

## Exercise 4B

### 1. Question

In the adjoining figure, AOB is a straight line. Find the value of x.



### Answer

$$118^\circ$$

AOB is a straight line

Therefore,  $\angle AOB = 180^\circ$

$$\Rightarrow \angle AOC + \angle BOC = 180^\circ$$


$$\Rightarrow 62^\circ + x = 180^\circ$$

$$\Rightarrow x = 180^\circ - 62^\circ$$

$$= 118^\circ$$

### 2. Question

In the adjoining figure, AOB is a straight line. Find the value of x. Hence, Find  $\angle AOC$  And  $\angle BOD$



### Answer

$$X=27.5, \angle AOC=77.5^\circ \angle BOD=47.5^\circ$$

AOB is a straight line

Therefore,  $\angle AOC + \angle COD + \angle BOD = 180^\circ$

$$\Rightarrow (3x - 5)^\circ + 55^\circ + (x + 20)^\circ = 180^\circ$$

$$\Rightarrow 3x - 5^\circ + 55^\circ + x + 20^\circ = 180^\circ$$

$$\Rightarrow 4x = 180^\circ - 70^\circ$$

$$\Rightarrow 4x = 110^\circ$$

$$\Rightarrow x = 27.5^\circ$$

$$\angle AOC = (3x - 5)^\circ$$


$$= 3 \times 27.5 - 5 = 77.5^\circ$$

$$\angle BOD = (x + 20)^\circ$$

$$= 27.5 + 20 = 47.5^\circ$$

### 3. Question

In the adjoining figure, AOB is a straight line. Find the value of x. Hence, find  $\angle AOC$ ,  $\angle COD$  and  $\angle BOD$ .



### Answer

$$x = 32, \angle AOC = 103^\circ, \angle COD = 45^\circ, \angle BOD = 32^\circ$$

AOB is a straight line

$$\text{Therefore, } \angle AOC + \angle COD + \angle BOD = 180^\circ$$

$$\Rightarrow (3x + 7)^\circ + (2x - 19)^\circ + x^\circ = 180^\circ$$

$$\Rightarrow 3x + 7^\circ + 2x - 19^\circ + x^\circ = 180^\circ$$

$$\Rightarrow 6x = 180^\circ + 12^\circ$$

$$\Rightarrow 6x = 192^\circ$$

$$\Rightarrow x = 32^\circ$$

$$\angle AOC = (3x + 7)^\circ$$

$$= 3 \times 32^\circ + 7 = 103^\circ$$

$$\angle COD = (2x - 19)^\circ$$


$$= 2 \times 32^\circ - 19 = 45^\circ$$

$$\angle BOD = x$$

$$= 32^\circ$$

### 4. Question

In the adjoining figure,  $x : y : z = 5 : 4 : 6$ . If XOY is a straight line, find the values of x, y and z



**Answer**

$$X=60, Y=48, Z=72$$

AOB is a straight line

$$\text{Therefore, } \angle XOP + \angle POQ + \angle YOQ = 180^\circ$$

Given,  $x : y : z = 5 : 4 : 6$

$$\text{Let } \angle XOP = x^\circ = 5a, \angle POQ = y^\circ = 4a, \angle YOQ = z^\circ = 6a$$

$$\Rightarrow 5a + 4a + 6a = 180^\circ$$

$$\Rightarrow 15a = 180^\circ$$

$$\Rightarrow a = 12^\circ$$

Therefore,


$$x = 5a = 5 \times 12^\circ = 60^\circ$$

$$y = 4a = 4 \times 12^\circ = 48^\circ$$

$$z = 6a = 6 \times 12^\circ = 72^\circ$$

**5. Question**

In the adjoining figure, what value of  $x$  will make AOB, a straight line?



**Answer**

$$X=28^\circ$$

AOB is a straight line

$$\text{Therefore, } \angle AOB = 180^\circ$$

$$\Rightarrow (3x + 20)^\circ + (4x - 36)^\circ = 180^\circ$$

$$\Rightarrow 3x + 20^\circ + 4x - 36^\circ = 180^\circ$$


$$\Rightarrow 7x - 16^\circ = 180^\circ$$

$$\Rightarrow 7x = 196^\circ$$

$$\Rightarrow x = 28^\circ$$

## 6. Question

Two lines AB and CD intersect at O. If  $\angle AOC = 50^\circ$ , find  $\angle AOD$ ,  $\angle BOD$  and  $\angle BOC$ .



## Answer

$$\angle AOD = 130^\circ, \angle BOD = 50^\circ, \angle BOC = 130^\circ$$

Given AB and CD intersect at O

Therefore,  $\angle AOC = \angle BOD$  \_\_\_\_\_ (i)

And  $\angle BOC = \angle AOD$  \_\_\_\_\_ (ii)

$$\angle AOC = 50^\circ$$

Therefore,  $\angle BOD = 50^\circ$  from equation (i).

AOB is a straight line,

$$\Rightarrow \angle AOC + \angle BOC = 180^\circ$$

$$\Rightarrow 50^\circ + \angle BOC = 180^\circ$$


$$\Rightarrow \angle BOC = 180^\circ - 50^\circ$$

$$\Rightarrow \angle BOC = 130^\circ$$

$\angle AOD = \angle BOC = 130^\circ$  from equation (ii).

## 7. Question

In the adjoining figure, three coplanar lines AB, CD and EF intersect at a point O, forming angles as shown. Find the values of x, y, z and t.



## Answer

$$x = 4, y = 4, z = 50, t = 90$$

Given, coplanar lines AB, CD and EF intersect at a point O.

Therefore,  $\angle AOF = \angle BOE$  \_\_\_\_\_ (i)

$$\angle BOD = \angle AOC \text{ _____ (ii)}$$

$$\angle DOF = \angle COE \text{ _____ (iii)}$$

$$x = y \text{ from equation (i)}$$

$$t = 90 \text{ from equation (ii)}$$

$$z = 50 \text{ from equation (iii)}$$

$$\angle AOF + \angle DOF + \angle BOD = 180^\circ \text{ (from AOB straight line)}$$

$$\Rightarrow x + 50^\circ + 90^\circ = 180^\circ$$


$$\Rightarrow x = 180^\circ - 140^\circ$$

$$\Rightarrow x = 40^\circ$$

$$x = y = 40^\circ \text{ from equation (i)}$$

### 8. Question

In the adjoining, there coplanar lines AB, CD and EF intersect at a point O. Find the value of x. Hence, find  $\angle AOD$ ,  $\angle COE$  and  $\angle AOE$ .



### Answer

)

$$\angle AOD + \angle DOF + \angle BOF + \angle BOC + \angle COE + \angle AOE = 360^\circ$$

$$\Rightarrow 2x + 5x + 3x + 2x + 5x + 3x = 360^\circ$$

$$\Rightarrow 20x = 360^\circ$$

$$\Rightarrow x = 18^\circ$$

$$\angle AOD = 2x = 2 \times 18^\circ = 36^\circ$$

$$\angle COE = 3x = 3 \times 18^\circ = 54^\circ$$

$$\angle AOE = 4x = 4 \times 18^\circ = 72^\circ$$


### 9. Question

Two adjacent angles on a straight line are in the ratio 5:4 Find the measure of each one of these angles.

### Answer

$$100^\circ, 80^\circ$$

Explanation:



EOF is a straight line and its adjacent angles are  $\angle EOB$  and  $\angle FOB$ .

Let  $\angle EOB = 5a$ , and  $\angle FOB = 4a$

$\angle EOB + \angle FOB = 180^\circ$  (EOF is a straight line)

$$\Rightarrow 5a + 4a = 180^\circ$$

$$\Rightarrow 9a = 180^\circ$$

$$\Rightarrow a = 20^\circ$$

Therefore,  $\angle EOB = 5a$

$$= 5 \times 20^\circ = 100^\circ$$

And  $\angle FOB = 4a$


$$= 4 \times 20^\circ = 80^\circ$$

### 10. Question

If two straight lines intersect each other in such a way that one of the angles formed measure  $90^\circ$ , show that each of the remaining angles measures  $90^\circ$ .

### Answer

Proof



Given lines AB and CD intersect each other at point O and  $\angle AOC = 90^\circ$

$\angle AOC = \angle BOD$  (Opposite angles)

Therefore,  $\angle BOD = 90^\circ$

$$\Rightarrow \angle BOD + \angle AOC = 180^\circ$$

$$\Rightarrow \angle BOC + 90^\circ = 180^\circ$$

$$\Rightarrow \angle BOC = 90^\circ$$

Now,  $\angle AOD = \angle BOC$  (Opposite angles)


Therefore,

$$\angle AOD = 90^\circ$$

Proved each of the remaining angles measures  $90^\circ$ .

### 11. Question

Two lines AB and CD intersect at a point O such that  $\angle BOC + \angle AOD = 280^\circ$ , as shown in the figure. Find all the four angles.



### Answer

$$\angle BOC = 140^\circ, \angle AOC = 40^\circ, \angle AOD = 140^\circ, \angle BOD = 40^\circ$$

Given lines AB and CD intersect at a point O and  $\angle BOC + \angle AOD = 280^\circ$

$$\angle BOC = \angle AOD \text{ (Opposite angle)}$$

$$\Rightarrow \angle BOC + \angle AOD = 280^\circ$$

$$\Rightarrow \angle BOC + \angle BOC = 280^\circ$$

$$\Rightarrow 2 \angle BOC = 280^\circ$$

$$\Rightarrow \angle BOC = 140^\circ$$

$$\angle BOC = \angle AOD = 140^\circ$$

Now,

$$\angle AOC + \angle BOC = 180^\circ \text{ (Because AOB is a straight line)}$$


$$\Rightarrow \angle AOC + 140^\circ = 180^\circ$$

$$\Rightarrow \angle AOC = 40^\circ$$

$$\angle AOC = \angle BOD = 40^\circ$$

### 12. Question

In the given figure, ray OC is the bisector of  $\angle AOB$  and OD is the ray opposite to OC. Show that  $\angle AOD = \angle BOD$ .



### Answer

Proof

Given OC is the bisector of  $\angle AOB$

$$\text{Therefore, } \angle AOC = \angle COB \text{ _____ (i)}$$

DOC is a straight line,

$$\angle BOD + \angle COB = 180^\circ \text{ _____ (ii)}$$

$$\text{Similarly, } \angle AOC + \angle AOD = 180^\circ \text{ _____ (iii)}$$



From equations (i) and (ii)


$$\Rightarrow \angle BOD + \angle COB = \angle AOC + \angle AOD$$

$$\Rightarrow \angle BOD + \angle AOC = \angle AOC + \angle AOD \text{ (from equation (i))}$$

$$\Rightarrow \angle BOD = \angle AOD \text{ Proved}$$

### 13. Question

In the given figure, AB is a mirror; PQ is the incident ray and QR, the reflected ray. If  $\angle PQR = 112^\circ$ , Find  $\angle PQA$ .



### Answer

$34^\circ$

Angle of incidence = angle of reflection.

Therefore,  $\angle PQA = \angle BQR$  \_\_\_\_\_ (i)

$$\Rightarrow \angle BQR + \angle PQR + \angle PQA = 180^\circ \text{ [Because AQB is a straight line]}$$

$$\Rightarrow \angle BQR + 112^\circ + \angle PQA = 180^\circ$$

$$\Rightarrow \angle BQR + \angle PQA = 180^\circ - 112^\circ$$

$$\Rightarrow \angle PQA + \angle PQA = 68^\circ \text{ [from equation (i)]}$$


$$\Rightarrow 2 \angle PQA = 68^\circ$$

$$\Rightarrow \angle PQA = 34^\circ$$

### 14. Question

If two straight lines intersect each other then prove that the ray opposite to the bisector of one of the angles so formed bisects the vertically opposite angle.

### Answer



Given, lines AB and CD intersect each other at point O.

OE is the bisector of  $\angle BOD$ .

TO prove: OF bisects  $\angle AOC$ .

Proof:

AB and CD intersect each other at point O.

Therefore,  $\angle AOC = \angle BOD$

$\angle 1 = \angle 2$  [OE is the bisector of  $\angle BOD$ ] \_\_\_\_\_ (i)

$\angle 1 = \angle 3$  and  $\angle 2 = \angle 4$  [Opposite angles] \_\_\_\_\_ (ii)

From equations (i) and (ii)


$$\angle 3 = \angle 4$$

Hence, OF is the bisector of  $\angle AOC$ .

### 15. Question

Prove that the bisectors of two adjacent supplementary angles include a right angle.

#### Answer



Given,  $\angle AOC$  and  $\angle BOC$  are supplementary angles

OE is the bisector of  $\angle BOC$  and

OD is the bisector of  $\angle AOC$

Therefore,  $\angle 1 = \angle 2$  and  $\angle 3 = \angle 4$  \_\_\_\_\_ (i)

$\angle BOC + \angle AOC = 180^\circ$  [Because AOB is a straight line]

$$\Rightarrow \angle 1 + \angle 2 + \angle 3 + \angle 4 = 180^\circ$$

$$\Rightarrow \angle 1 + \angle 1 + \angle 3 + \angle 3 = 180^\circ \text{ [From equation (i)]}$$

$$\Rightarrow 2\angle 1 + 2\angle 3 = 180^\circ$$

$$\Rightarrow 2(\angle 1 + \angle 3) = 180^\circ$$


$$\Rightarrow \angle 1 + \angle 3 = 90^\circ$$

Hence,  $\angle EOD = 90^\circ$  proved.

### Exercise 4C

#### 1. Question

In the adjoining figure,  $AB \parallel CD$  are cut by a transversal  $t$  at  $E$  and  $F$  respectively. If  $\angle 1 = 70^\circ$ , Find measure of each of the remaining marked angles.



## Answer

$$\angle 2 = 110^\circ, \angle 3 = 70^\circ, \angle 4 = 110^\circ, \angle 5 = 70^\circ, \angle 6 = 110^\circ, \angle 7 = 70^\circ, \angle 8 = 110^\circ$$

Given  $AB \parallel CD$  are cut by a transversal  $t$  at  $E$  and  $F$  respectively.

$$\text{And } \angle 1 = 70^\circ$$

$$\angle 1 = \angle 3 = 70^\circ \text{ [Opposite angles]}$$

$$\angle 5 = \angle 1 = 70^\circ \text{ [Corresponding angles]}$$

$$\angle 3 = \angle 7 = 70^\circ \text{ [Corresponding angles]}$$

$$\angle 1 + \angle 2 = 180^\circ \text{ [Because AB is a straight line]}$$

$$\Rightarrow 70^\circ + \angle 2 = 180^\circ$$

$$\Rightarrow \angle 2 = 110^\circ$$


$$\angle 4 = \angle 2 = 110^\circ \text{ [Opposite angles]}$$

$$\angle 6 = \angle 2 = 110^\circ \text{ [Corresponding angles]}$$

$$\angle 8 = \angle 4 = 110^\circ \text{ [Corresponding angles]}$$

## 2. Question

In the adjoining figure,  $AB \parallel CD$  are cut by a transversal  $t$  at  $E$  and  $F$  respectively. If  $\angle 1 : \angle 2 = 5 : 4$ , Find measure of each of the remaining marked angles.



## Answer

$$\angle 1 = 100^\circ, \angle 2 = 80^\circ, \angle 3 = 100^\circ, \angle 4 = 80^\circ, \angle 5 = 100^\circ, \angle 6 = 80^\circ, \angle 7 = 100^\circ, \angle 8 = 80^\circ$$

Given  $AB \parallel CD$  are cut by a transversal  $t$  at  $E$  and  $F$  respectively.

$$\text{And } \angle 1 : \angle 2 = 5 : 4$$

$$\text{Let } \angle 1 = 5a \text{ and } \angle 2 = 4a$$

$$\angle 1 + \angle 2 = 180^\circ \text{ [Because AB is a straight line]}$$

$$\Rightarrow 5a + 4a = 180^\circ$$

$$\Rightarrow 9a = 180^\circ$$

$$\Rightarrow a = 20^\circ$$

$$\text{Therefore, } \angle 1 = 5a$$

$$\angle 1 = 5 \times 20^\circ = 100^\circ$$

$$\angle 2 = 4a$$

$$\angle 2 = 4 \times 20^\circ = 80^\circ$$

$$\angle 3 = \angle 1 = 100^\circ \text{ [Opposite angles]}$$

$$\angle 4 = \angle 2 = 80^\circ \text{ [Opposite angles]}$$

$$\angle 5 = \angle 1 = 100^\circ \text{ [Crossponding angles]}$$


$$\angle 6 = \angle 4 = 80^\circ \text{ [Crossponding angles]}$$

$$\angle 7 = \angle 5 = 100^\circ \text{ [Opposite angles]}$$

$$\angle 8 = \angle 6 = 80^\circ \text{ [Opposite angles]}$$

### 3. Question

In the adjoining figure, ABCD is a quadrilateral in which  $AB \parallel DC$  and  $AD \parallel BC$ . Prove that  $\angle ADC = \angle ABC$ .



### Answer

Given  $AB \parallel DC$  and  $AD \parallel BC$

Therefore,  $\angle ADC + \angle DCB = 180^\circ$  \_\_\_\_\_ (i)

$\angle DCB + \angle ABC = 180^\circ$  \_\_\_\_\_ (ii)



From equations (i) and (ii)


$$\angle ADC + \angle DCB = \angle DCB + \angle ABC$$

$$\angle ADC = \angle ABC \text{ Proved.}$$

### 4. Question

In each of the figure given below,  $AB \parallel CD$ . Find the value of  $x$  in each case.






**Answer**

(i)  $x = 100$

Given  $AB \parallel CD$ ,  $\angle ABE = 35^\circ$  and  $\angle EDC = 65^\circ$

Draw a line  $PEQ \parallel AB$  or  $CD$



$\angle 1 = \angle ABE = 35^\circ$  [ $AB \parallel PQ$  and alternate angle] \_\_\_\_\_ (i)

$\angle 2 = \angle EDC = 65^\circ$  [ $CD \parallel PQ$  and alternate angle] \_\_\_\_\_ (ii)

From equations (i) and (ii)


$\angle 1 + \angle 2 = 100^\circ$

$\Rightarrow x = 100^\circ$

(ii)  $x = 280$

Given  $AB \parallel CD$ ,  $\angle ABE = 35^\circ$  and  $\angle EDC = 65^\circ$

Draw a line  $POQ \parallel AB$  or  $CD$



$\angle 1 = \angle ABO = 55^\circ$  [ $AB \parallel PQ$  and alternate angle] \_\_\_\_\_ (i)

$\angle 2 = \angle CDO = 25^\circ$  [ $CD \parallel PQ$  and alternate angle] \_\_\_\_\_ (ii)

From equations (i) and (ii)

$\angle 1 + \angle 2 = 80^\circ$

Now,

$\angle BOD + \angle DOB = 360^\circ$


$\Rightarrow 80^\circ + x^\circ = 360^\circ$

$\Rightarrow x = 280^\circ$

(iii)  $x=120$

Given  $AB \parallel CD$ ,  $\angle BAE = 116^\circ$  and  $\angle DCE = 124^\circ$

Draw a line  $EF \parallel AB$  or  $CD$



$\angle BAE + \angle PAE = 180^\circ$  [Because PAB is a straight line]

$\Rightarrow 116^\circ + \angle 3 = 180^\circ$

$\Rightarrow \angle 3 = 180^\circ - 116^\circ$

$\Rightarrow \angle 3 = 64^\circ$

Therefore,

$\angle 1 = \angle 3 = 64^\circ$  [Alternate angles] \_\_\_\_\_ (i)

Similarly,  $\angle 4 = 180^\circ - 124^\circ$

$\angle 4 = 56^\circ$

Therefore,

$\angle 2 = \angle 4 = 56^\circ$  [Alternate angles] \_\_\_\_\_ (ii)


From equations (i) and (ii)

$\Rightarrow \angle 1 + \angle 2 = 64^\circ + 56^\circ$

$\Rightarrow x = 120^\circ$

**5. Question**

In the given figure,  $AB \parallel CD \parallel EF$ . Find the value of x.



**Answer**

$X=20$

Given  $AB \parallel CD \parallel EF$ ,  $\angle ABC = 70^\circ$  and  $\angle CEF = 130^\circ$

$AB \parallel CD$

Therefore,

$$\angle ABC = \angle BCD = 70^\circ \text{ [Alternate angles] } \text{_____} \text{ (i)}$$

$EF \parallel CD$

Therefore,

$$\angle DCE + \angle CEF = 180^\circ$$

$$\Rightarrow \angle DCE + 130^\circ = 180^\circ$$

$$\Rightarrow \angle DCE = 50^\circ$$

Now,


$$\angle BCE + \angle DCE = \angle BCD$$

$$\Rightarrow x + 50^\circ = 70^\circ$$

$$\Rightarrow x = 20^\circ$$

### 6. Question

In the given figure,  $AB \parallel CD$ . Find the value of  $x$ .




### Answer

$$x = 110$$

Given  $AB \parallel CD$ ,  $\angle DCE = 130^\circ$  and  $\angle AEC = 20^\circ$

Draw a line  $EF \parallel AB \parallel CD$



$CD \parallel EF$

Therefore,  $\angle DCE + \angle CEF = 180^\circ$

$$\Rightarrow 130^\circ + \angle 1 = 180^\circ$$

$$\Rightarrow \angle 1 = 180^\circ - 130^\circ$$

$$\Rightarrow \angle 1 = 50^\circ$$

$AB \parallel EF$

Therefore,  $\angle BAE + \angle AEF = 180^\circ$

$$\Rightarrow x + \angle 1 + 20^\circ = 180^\circ$$


$$\Rightarrow x + 50^\circ + 20^\circ = 180^\circ$$

$$\Rightarrow x = 180^\circ - 70^\circ$$

$$\Rightarrow x = 110^\circ$$


### 7. Question

In the given figure,  $AB \parallel CD$ . Prove that  $\angle BAE - \angle DCE = \angle AEC$ .



### Answer

Draw a line  $EF \parallel AB \parallel CD$ .



$$\angle BAE + \angle AEF = 180^\circ \text{ [Because } AB \parallel EF \text{ and } AE \text{ is the transversal]} \quad \text{_____ (i)}$$

$$\angle DCE + \angle CEF = 180^\circ \text{ [Because } DC \parallel EF \text{ and } CE \text{ is the transversal]} \quad \text{_____ (ii)}$$

From equations (i) and (ii)

$$\Rightarrow \angle BAE + \angle AEF = \angle DCE + \angle CEF$$


$$\Rightarrow \angle BAE - \angle DCE = \angle CEF - \angle AEF$$

$$\Rightarrow \angle BAE - \angle DCE = \angle AEC \text{ Proved.}$$

### 8. Question

In the given figure,  $AB \parallel CD$  and  $BC \parallel ED$ . Find the value of  $x$ .






**Answer**

$X=105$

Given  $AB \parallel CD$  and  $BC \parallel ED$ .



$AB \parallel CD$

Therefore,  $\angle BCF = \angle EDC = 75^\circ$  [Crossponding angles]


$\angle ABC + \angle BCF = 180^\circ$  [Because  $AB \parallel DCF$ ]

$\Rightarrow x + 75^\circ = 180^\circ$

$\Rightarrow x = 105^\circ$

**9. Question**


In the given figure,  $AB \parallel CD$ . Prove that  $p+q-r=180$



**Answer**

Given  $AB \parallel CD$ ,  $\angle AEF = p^\circ$ ,  $\angle EFG = q^\circ$ ,  $\angle FGD = r^\circ$

Draw a line  $FH \parallel AB \parallel CD$



$$\angle HFG = \angle FGD = r^\circ \text{ [Because HF} \parallel \text{CD and alternate angles]} \text{ _____ (i)}$$

$$\angle EFH = \angle EFG - \angle HFG$$

$$\Rightarrow \angle EFH = q - r \text{ _____ (i)}$$

$$\angle AEF + \angle EFH = 180^\circ \text{ [Because AB} \parallel \text{HF]}$$


$$\Rightarrow \angle AEF + \angle EFH = 180^\circ$$

$$\Rightarrow p + (q - r) = 180^\circ$$

$$\Rightarrow p + q - r = 180^\circ \text{ Proved.}$$

### 10. Question

In the given figure,  $AB \parallel PQ$ . Find the value of  $x$  and  $y$ .



### Answer

$$x=70, y=50$$

Given  $AB \parallel PQ$

$$\angle GEF + 20^\circ + 75^\circ = 180^\circ \text{ [Because EF is a straight line]}$$

$$\Rightarrow \angle GEF = 180^\circ - 95^\circ$$

$$\Rightarrow \angle GEF = 85^\circ \text{ _____ (i)}$$

In triangle EFG,

$$\Rightarrow X + 25^\circ + 85^\circ = 180^\circ \text{ [}\angle GEF = 85^\circ\text{]}$$

$$\Rightarrow X = 60^\circ$$

Now,

$$\Rightarrow \angle BEF + \angle EFQ = 180^\circ \text{ [Interior angles on same side of transversal]}$$


$$\Rightarrow (20^\circ + 85^\circ) + (25^\circ + Y) = 180^\circ$$

$$\Rightarrow Y = 180^\circ - 130^\circ$$

$$\Rightarrow Y = 50^\circ$$

### 11. Question

In the given figure,  $AB \parallel CD$ . Find the value of  $x$ .



**Answer**

Given  $AB \parallel CD$

Therefore,  $\angle BAC + \angle ACD = 180^\circ$

$$\Rightarrow 75^\circ + \angle ACD = 180^\circ$$

$$\Rightarrow \angle ACD = 105^\circ \text{_____ (i)}$$

$\angle ACD = \angle ECF = 105^\circ$  [Opposite angles]

In triangle CEF,

$$\Rightarrow \angle CEF + \angle EFC + \angle FCE = 180^\circ$$


$$\Rightarrow x + 30^\circ + 105^\circ = 180^\circ$$

$$\Rightarrow x + 135^\circ = 180^\circ$$

$$\Rightarrow x = 45^\circ$$

**12. Question**

In the given figure,  $AB \parallel CD$ . Find the value of  $x$ .



**Answer**

$$x=20$$

Given  $AB \parallel CD$

Therefore,

$\angle QGH = \angle GEF$  [Crossponding angles]

$$\angle QGH = 95^\circ \text{_____ (i)}$$

In CD straight line,

$$\Rightarrow \angle CHQ + \angle GHQ = 180^\circ$$

$$\Rightarrow 115^\circ + \angle GHQ = 180^\circ$$

bodhiyla.com

$$\Rightarrow \angle GHQ = 65^\circ$$

In triangle GHQ,


$$\Rightarrow \angle QGH + \angle GHQ + \angle GQH = 180^\circ$$

$$\Rightarrow 95^\circ + 65^\circ + x = 180^\circ$$

$$\Rightarrow x = 20^\circ$$

### 13. Question

In the given figure,  $AB \parallel CD$ . Find the value of  $x$ ,  $y$  and  $z$ .



### Answer

$$z=75, x=35, y=70$$

Given  $AB \parallel CD$

Therefore,

$$x = 35^\circ [\text{Alternate angles}]$$

In triangle AOB,

$$\Rightarrow x + 75^\circ + y = 180^\circ$$

$$\Rightarrow 35^\circ + 75^\circ + y = 180^\circ$$

$$\Rightarrow y = 70^\circ$$

$$\Rightarrow \angle COD = y = 70^\circ [\text{Opposite angles}]$$

In triangle COD,


$$\Rightarrow z + 35^\circ + \angle COD = 180^\circ$$

$$\Rightarrow z + 35^\circ + 70^\circ = 180^\circ$$

$$\Rightarrow z = 75^\circ$$

### 14. Question

In the given figure,  $AB \parallel CD$ . Find the values of  $x$ ,  $y$  and  $z$ .



### Answer

$$x=105, y=75, z=50$$

Given  $AB \parallel CD$

Therefore,

$$\Rightarrow \angle AEF = \angle EFG = 75^\circ \text{ [Alternate angles]}$$

$$\Rightarrow y = 75^\circ$$

For CD straight line,

$$\Rightarrow x + y = 180^\circ$$

$$\Rightarrow x + 75^\circ = 180^\circ$$

$$\Rightarrow x = 105^\circ$$

Again,

$$\Rightarrow \angle EGF + 125^\circ = 180^\circ$$

$$\Rightarrow \angle EGF = 155^\circ$$

In triangle EFG,

$$\Rightarrow y + z + \angle EGF = 180^\circ$$


$$\Rightarrow 75^\circ + z + 155^\circ = 180^\circ$$

$$\Rightarrow z + 130^\circ = 180^\circ$$

$$\Rightarrow z = 50^\circ$$

### 15. Question

In the given figure,  $AB \parallel CD$  and  $EF \parallel GH$ . Find the values of  $x$ ,  $y$ ,  $z$  and  $t$ .



### Answer

$$x=60, y=60, z=70, t=70$$

Given  $AB \parallel CD$  and  $EF \parallel GH$

$$x = 60^\circ \text{ [Opposite angles]}$$

$$y = x = 60^\circ \text{ [Alternate angles]}$$

$$\angle PQS = \angle APR = 110^\circ \text{ [Crossponding angles]}$$

$$\angle PQS = \angle PQR + y = 110^\circ \text{ (i)}$$

For AB straight line,

$$\Rightarrow y + z + \angle PQR = 180^\circ$$

$$\Rightarrow z + 110^\circ = 180^\circ \text{ [From equation (i)]}$$

$$\Rightarrow z = 70^\circ$$



$AB \parallel CD$

Therefore,

$$t = z = 70^\circ \text{ [Because alternate angles]}$$

### 16. Question

For what value of  $x$  will the lines  $l$  and  $m$  be parallel to each other?



### Answer

(i)  $x = 30$

Given  $l \parallel m$

Therefore,

$$3x - 20^\circ = 2x + 10^\circ \text{ [Crossponding angles]}$$

$$\Rightarrow 3x - 2x = 10^\circ + 20^\circ$$

$$\Rightarrow x = 30^\circ$$

(ii)  $x = 25$

Given  $l \parallel m$

Therefore,

$$(3x + 5)^\circ + 4x^\circ = 180^\circ$$

$$\Rightarrow 7x + 5^\circ = 180^\circ$$


$$\Rightarrow 7x = 175^\circ$$

$$\Rightarrow x = 25^\circ$$

### 17. Question

If two straight lines are perpendicular to the same line, prove that they are parallel to each other.

#### Answer



$AB \perp PQ$ ,

Therefore,  $\angle ABD = 90^\circ$  \_\_\_\_\_ (i)

$CD \perp PQ$ ,

Therefore,  $\angle CDQ = 90^\circ$  \_\_\_\_\_ (ii)

From equations (i) and (ii)

$$\angle ABD = \angle CDQ = 90^\circ$$

Hence,  $AB \parallel CD$  because Corresponding angles are equal.

### Exercise 4D

#### 1. Question

In  $\triangle ABC$ , if  $\angle B = 76^\circ$  and  $\angle C = 48^\circ$ , find  $\angle A$ .

#### Answer

$$\angle A = 56^\circ$$

In  $\triangle ABC$ ,

$$\angle A + \angle B + \angle C = 180^\circ \text{ [Sum of angles]}$$

$$\Rightarrow \angle A + 76^\circ + 48^\circ = 180^\circ$$

$$\Rightarrow \angle A + 124^\circ = 180^\circ$$

$$\Rightarrow \angle A = 56^\circ$$

#### 2. Question

The angles of a triangle are in the ratio 2:3:4. Find the angles.

#### Answer

$$40^\circ, 60^\circ, 80^\circ$$

Let the angles of triangle are  $2a$ ,  $3a$  and  $4a$ .

Therefore,

$$2a + 3a + 4a = 180^\circ \text{ [Sum of angles]}$$

$$\Rightarrow 9a = 180^\circ$$

$$\Rightarrow a = 20^\circ$$

Angles of triangle are,

$$2a = 2 \times 20^\circ = 40^\circ$$

$$3a = 3 \times 20^\circ = 60^\circ$$

$$4a = 4 \times 20^\circ = 80^\circ$$

### 3. Question

In  $\triangle ABC$ , if  $3\angle A = 4\angle B = 6\angle C$ , calculate  $\angle A$ ,  $\angle B$  and  $\angle C$ .

#### Answer

$$\angle A = 80^\circ, \angle B = 60^\circ, \angle C = 40^\circ$$

$$\text{Let } 3\angle A = 4\angle B = 6\angle C = a$$

Therefore,

$$\angle A = a/3, \angle B = a/4, \angle C = a/6 \text{ _____ (i)}$$

$$\angle A + \angle B + \angle C = 180^\circ \text{ [Sum of angles]}$$

$$\Rightarrow a/3 + a/4 + a/6 = 180^\circ$$

$$\Rightarrow 9a/12 = 180^\circ$$

$$\Rightarrow a = 240^\circ$$

$$\Rightarrow \angle A = a/3 = 240^\circ / 3 = 80^\circ$$

$$\Rightarrow \angle B = a/4 = 240^\circ / 4 = 60^\circ$$

$$\Rightarrow \angle C = a/6 = 240^\circ / 6 = 40^\circ$$

### 4. Question

In  $\triangle ABC$ , if  $\angle A + \angle B = 108^\circ$  and  $\angle B + \angle C = 130^\circ$ , Find  $\angle A$ ,  $\angle B$  and  $\angle C$ .

#### Answer

$$\angle A = 50^\circ, \angle B = 58^\circ, \angle C = 72^\circ$$

Given,

$$\angle A + \angle B = 108^\circ \text{ _____ (i)}$$

$$\angle B + \angle C = 130^\circ \text{ _____ (ii)}$$

We know that sum of angles of triangle =  $180^\circ$

$$\angle A + \angle B + \angle C = 180^\circ \text{ [Sum of angles]}$$

$$\angle A + 130^\circ = 180^\circ \text{ [From equation (ii)]}$$

$$\Rightarrow \angle A = 50^\circ$$

Value of  $\angle A = 50^\circ$  put in equation (i),

$$\angle A + \angle B = 108^\circ$$



$$\Rightarrow 50^\circ + \angle B = 108^\circ$$

$$\Rightarrow \angle B = 58^\circ$$

Value of  $\angle B = 58^\circ$  put in equation (ii),

$$\angle B + \angle C = 130^\circ$$

$$\Rightarrow 58^\circ + \angle C = 130^\circ$$

$$\Rightarrow \angle C = 72^\circ$$

### 5. Question

In  $\triangle ABC$ , if  $\angle A + \angle B = 125^\circ$  and  $\angle B + \angle C = 113^\circ$ , Find  $\angle A$ ,  $\angle B$  and  $\angle C$ .

### Answer

$$\angle A = 67^\circ, \angle B = 41^\circ, \angle C = 89^\circ$$

Given,

$$\angle A + \angle B = 125^\circ \text{ _____ (i)}$$

$$\angle B + \angle C = 113^\circ \text{ _____ (ii)}$$

We know that sum of angles of triangle =  $180^\circ$

$$\angle A + \angle B + \angle C = 180^\circ \text{ [Sum of angles]}$$

$$\angle A + 113^\circ = 180^\circ \text{ [From equation (ii)]}$$

$$\Rightarrow \angle A = 67^\circ$$

Value of  $\angle A = 67^\circ$  put in equation (i),

$$\angle A + \angle B = 125^\circ$$

$$\Rightarrow 67^\circ + \angle B = 125^\circ$$

$$\Rightarrow \angle B = 41^\circ$$

Value of  $\angle B = 41^\circ$  put in equation (ii),

$$\angle B + \angle C = 113^\circ$$

$$\Rightarrow 41^\circ + \angle C = 113^\circ$$

$$\Rightarrow \angle C = 89^\circ$$

### 6. Question

In  $\triangle POR$ , if  $\angle P - \angle Q = 42^\circ$  and  $\angle Q - \angle R = 21^\circ$ , Find  $\angle P$ ,  $\angle Q$  and  $\angle R$ .

### Answer

$$\angle P = 95^\circ, \angle Q = 53^\circ, \angle R = 32^\circ$$

Given,

$$\angle P - \angle Q = 42^\circ \text{ _____ (i)}$$

$$\angle Q - \angle R = 21^\circ \text{ _____ (ii)}$$

$$\angle P = 42^\circ + \angle Q \text{ [From equation (i)] _____ (iii)}$$

$$\angle R = \angle Q - 21^\circ \text{ [From equation (ii)] _____ (iv)}$$

We know that sum of angles of triangle =  $180^\circ$

$$\angle P + \angle Q + \angle R = 180^\circ \text{ [Sum of angles]}$$

$$\Rightarrow 42^\circ + \angle Q + \angle Q + \angle Q - 21^\circ = 180^\circ \text{ [From equation (iii) and (iv)]}$$

$$\Rightarrow 3 \angle Q + 21^\circ = 180^\circ$$

$$\Rightarrow 3 \angle Q = 159^\circ$$

$$\Rightarrow \angle Q = 53^\circ$$

Value of  $\angle Q = 53^\circ$  put in equation (iii),

$$\angle P = 42^\circ + \angle Q$$

$$\Rightarrow \angle P = 42^\circ + 53^\circ$$

$$\Rightarrow \angle P = 95^\circ$$

Value of  $\angle Q = 53^\circ$  put in equation (iv),

$$\angle R = \angle Q - 21^\circ$$

$$\Rightarrow \angle R = 53^\circ - 21^\circ$$

$$\Rightarrow \angle R = 32^\circ$$

### 7. Question

The sum of two angles of a triangle is  $116^\circ$  and their difference is  $24^\circ$ . Find the measure of each angle of the triangle.

### Answer

$$70^\circ, 46^\circ, 64^\circ$$

Let  $\angle P$ ,  $\angle Q$  and  $\angle R$  are three angles of triangle PQR.

Now,

$$\angle P + \angle Q = 116^\circ \text{ _____ (i)}$$

$$\angle P - \angle Q = 24^\circ \text{ _____ (ii)}$$

Adding equation (i) and (ii),

$$2 \angle P = 140^\circ$$

$$\Rightarrow \angle P = 70^\circ \text{ _____ (iii)}$$

Subtracting equation (ii) and (i),

$$2 \angle Q = 92^\circ$$

$$\Rightarrow \angle Q = 46^\circ \text{ _____ (iv)}$$

We know that sum of angles of triangle =  $180^\circ$

$$\angle P + \angle Q + \angle R = 180^\circ \text{ [Sum of angles]}$$

$$\Rightarrow 70^\circ + 46^\circ + \angle R = 180^\circ \text{ [From equation (iii) and (iv)]}$$

$$\Rightarrow \angle R = 64^\circ$$

### 8. Question

Of the three angles of a triangle are equal and the third angle is greater than each one of them by  $18^\circ$ . Find the angle.

#### Answer

$$54^\circ, 54^\circ, 72^\circ$$

Let  $\angle P$ ,  $\angle Q$  and  $\angle R$  are three angles of triangle PQR,

$$\text{And } \angle P = \angle Q = a \text{ _____ (i)}$$

$$\text{Then, } \angle R = a + 18^\circ \text{ _____ (ii)}$$

We know that sum of angles of triangle =  $180^\circ$

$$\angle P + \angle Q + \angle R = 180^\circ \text{ [Sum of angles]}$$

$$\Rightarrow a + a + a + 18^\circ = 180^\circ \text{ [From equation (i) and (ii)]}$$

$$\Rightarrow 3a = 162^\circ$$

$$\Rightarrow a = 54^\circ$$

Therefore,

$$\angle P = \angle Q = 54^\circ \text{ [from equation (i)]}$$

$$\angle R = 54^\circ + 18^\circ \text{ [from equation (i)]}$$

$$= 72^\circ$$

### 9. Question

Of the three angles of a triangle, one is twice the smallest and another one is thrice the smallest. Find the angle.

#### Answer

$$60^\circ, 90^\circ, 30^\circ$$

Let  $\angle P$ ,  $\angle Q$  and  $\angle R$  are three angles of triangle PQR,

And  $\angle P$  is the smallest angle.

Now,

$$\angle Q = 2 \angle P \text{ _____ (i)}$$

$$\angle R = 3 \angle P \text{ _____ (ii)}$$

We know that sum of angles of triangle =  $180^\circ$

$$\angle P + \angle Q + \angle R = 180^\circ \text{ [Sum of angles]}$$

$$\Rightarrow \angle P + 2 \angle P + 3 \angle P = 180^\circ \text{ [From equation (i) and (ii)]}$$

$$\Rightarrow 6 \angle P = 180^\circ$$

$$\Rightarrow \angle P = 30^\circ$$

Therefore,

$$\Rightarrow \angle Q = 2 \angle P = 60^\circ \text{ [from equation (i)]}$$

$$\Rightarrow \angle R = 3 \angle P = 90^\circ \text{ [from equation (ii)]}$$

### 10. Question

In a right-angled triangle, one of the acute measures  $53^\circ$ . Find the measure of each angle of the triangle.

#### Answer

$$53^\circ, 37^\circ, 90^\circ$$

Let PQR be a right angle triangle.

Right angle at P, then

$$\angle P = 90^\circ \text{ and } \angle Q = 53^\circ \text{ _____ (i)}$$

We know that sum of angles of triangle =  $180^\circ$

$$\angle P + \angle Q + \angle R = 180^\circ \text{ [Sum of angles]}$$

$$\Rightarrow 90^\circ + 53^\circ + \angle R = 180^\circ \text{ [From equation (i)]}$$

$$\Rightarrow \angle R = 37^\circ$$

### 11. Question

If one angle of a triangle is equal to the sum of the other two, show that the triangle is right angled.

#### Answer

Proof

Let PQR be a right angle triangle,

Now,

$$\angle P = \angle Q + \angle R \text{ _____ (i)}$$

We know that sum of angles of triangle =  $180^\circ$

$$\angle P + \angle Q + \angle R = 180^\circ \text{ [Sum of angles]}$$

$$\Rightarrow \angle P + \angle P = 180^\circ \text{ [From equation (i)]}$$


$$\Rightarrow 2 \angle P = 180^\circ$$

$$\Rightarrow \angle P = 90^\circ$$

Hence, PQR is a right angle triangle Proved.

### 12. Question

A  $\triangle ABC$  is right angled at A. If  $AL \perp BC$ , prove that  $\angle BAL = \angle ACB$ .



### Answer

proof

We know that the sum of two acute angles of a right triangle is  $90^\circ$ .

Therefore,

$$\angle BAL + \angle ABL = 90^\circ$$

$$\Rightarrow \angle BAL = 90^\circ - \angle ABL$$

$$\Rightarrow \angle BAL = 90^\circ - \angle ABC \quad \text{_____ (i)}$$

$$\angle ABC + \angle ACB = 90^\circ$$

$$\Rightarrow \angle ACB = 90^\circ - \angle ABC \quad \text{_____ (ii)}$$

From equation (i) and (ii),

$$\angle BAL = \angle ACB \quad \text{Proved.}$$

### 13. Question

If each angle of a triangle is less than the sum of the other two, show that the triangle is acute angled.

### Answer

Proof

Let ABC be a triangle,

Now,

$$\angle A < \angle B + \angle C \quad \text{_____ (i)}$$

$$\angle B < \angle A + \angle C \quad \text{_____ (ii)}$$

$$\angle C < \angle A + \angle B \quad \text{_____ (iii)}$$

$$\Rightarrow 2\angle A < \angle A + \angle B + \angle C \quad \text{[From equation (i)]}$$

$$\Rightarrow 2\angle A < 180^\circ \quad \text{[Sum of angles of triangle]}$$

$$\Rightarrow \angle A < 90^\circ \quad \text{_____ (a)}$$

Similarly,

$$\Rightarrow \angle B < 90^\circ \quad \text{_____ (b)}$$

$$\Rightarrow \angle C < 90^\circ \quad \text{_____ (c)}$$

From equation (a), (b) and (c), each angle is less than  $90^\circ$

Therefore triangle is an acute angled Proved.

#### 14. Question

If each angle of a triangle is greater than the sum of the other two, show that the triangle is obtuse angled.

#### Answer

Proof

Let ABC be a triangle,

Now,

$$\angle A > \angle B + \angle C \text{ _____ (i)}$$

$$\angle B > \angle A + \angle C \text{ _____ (ii)}$$

$$\angle C > \angle A + \angle B \text{ _____ (iii)}$$

$$\Rightarrow 2\angle A > \angle A + \angle B + \angle C \text{ [From equation (i)]}$$

$$\Rightarrow 2\angle A > 180^\circ \text{ [Sum of angles of triangle]}$$

$$\Rightarrow \angle A > 90^\circ \text{ _____ (a)}$$

Similarly,

$$\Rightarrow \angle B > 90^\circ \text{ _____ (b)}$$


$$\Rightarrow \angle C > 90^\circ \text{ _____ (c)}$$

From equation (a), (b) and (c), each angle is less than  $90^\circ$ .

Therefore triangle is an acute angled Proved.

#### 15. Question

In the given figure, side BC of  $\triangle ABC$  is produced to D. If  $\angle ACD = 128^\circ$  and  $\angle ABC = 43^\circ$ , Find  $\angle BAC$  and  $\angle ACB$ .



#### Answer

$$\angle BAC = 85^\circ, \angle ACB = 52^\circ$$

$$\text{Given, } \angle ACD = 128^\circ \text{ and } \angle ABC = 43^\circ$$

In triangle ABC,

$$\angle ACB + \angle ACD = 180^\circ \text{ [Because BCD is a straight line]}$$

$$\Rightarrow \angle ACB + 128^\circ = 180^\circ$$

$$\Rightarrow \angle ACB = 52^\circ$$


$$\angle ABC + \angle ACB + \angle BAC = 180^\circ \text{ [Sum of angles of triangle ABC]}$$

$$\Rightarrow 43^\circ + 52^\circ + \angle BAC = 180^\circ$$

$$\Rightarrow \angle BAC = 85^\circ$$

### 16. Question

In the given figure, the side BC of  $\triangle ABC$  has been produced on both sides-on the left to D and on the right to E. If  $\angle ABD = 106^\circ$  and  $\angle ACE = 118^\circ$ , Find the measure of each angle of the triangle.



### Answer

$$74^\circ, 62^\circ, 44^\circ$$

Given,  $\angle ABD = 106^\circ$  and  $\angle ACE = 118^\circ$

$$\angle ABD + \angle ABC = 180^\circ \text{ [Because DC is a straight line]}$$

$$\Rightarrow 106^\circ + \angle ABC = 180^\circ$$

$$\Rightarrow \angle ABC = 74^\circ \text{ (i)}$$

$$\angle ACB + \angle ACE = 180^\circ \text{ [Because BE is a straight line]}$$

$$\Rightarrow \angle ACB + 118^\circ = 180^\circ$$

$$\Rightarrow \angle ACB = 62^\circ \text{ (ii)}$$

Now, triangle ABC


$$\angle ABC + \angle ACB + \angle BAC = 180^\circ \text{ [Sum of angles of triangle]}$$






$$\Rightarrow 74^\circ + 62^\circ + \angle BAC = 180^\circ \text{ [From equation (i) and (ii)]}$$

$$\Rightarrow \angle BAC = 44^\circ$$

### 17. Question

Calculate the value of x in each of the following figure.





### Answer

(i)  $50^\circ$

Given,  $\angle BAE = 110^\circ$  and  $\angle ACD = 120^\circ$

$\angle ACB + \angle ACD = 180^\circ$  [Because BD is a straight line]

$$\Rightarrow \angle ACB + 120^\circ = 180^\circ$$

$$\Rightarrow \angle ACB = 60^\circ \text{ _____ (i)}$$

In triangle ABC,

$$\angle BAE = \angle ABC + \angle ACB$$



$$\Rightarrow 110^\circ = x + 60^\circ$$

$$\Rightarrow x = 50^\circ$$

(ii)  $120^\circ$

In triangle ABC,

$$\angle A + \angle B + \angle C = 180^\circ \text{ [Sum of angles of triangle ABC]}$$

$$\Rightarrow 30^\circ + 40^\circ + \angle C = 180^\circ$$

$$\Rightarrow \angle C = 110^\circ$$

$$\angle BCA + \angle DCA = 180^\circ \text{ [Because BD is a straight line]}$$

$$\Rightarrow 110^\circ + \angle DCA = 180^\circ$$

$$\Rightarrow \angle DCA = 70^\circ \text{ (i)}$$

In triangle ECD,

$$\angle AED = \angle ECD + \angle EDC$$

$$\Rightarrow x = 70^\circ + 50^\circ$$

$$\Rightarrow x = 120^\circ$$

(iii)  $55^\circ$

Explanation:

$$\angle BAC = \angle EAF = 60^\circ \text{ [Opposite angles]}$$

In triangle ABC,

$$\angle ABC + \angle BAC = \angle ACD$$

$$\Rightarrow X^\circ + 60^\circ = 115^\circ$$

$$\Rightarrow X^\circ = 55^\circ$$

(iv)  $75^\circ$

Given  $AB \parallel CD$

Therefore,

$$\angle BAD = \angle EDC = 60^\circ \text{ [Alternate angles]}$$

In triangle CED,

$$\angle C + \angle D + \angle E = 180^\circ \text{ [Sum of angles of triangle]}$$

$$\Rightarrow 45^\circ + 60^\circ + x = 180^\circ \text{ [\angle EDC = } 60^\circ \text{]}$$

$$\Rightarrow x = 75^\circ$$

(v)  $30^\circ$

Explanation:

In triangle ABC,

bodhiyla.com

$$\angle BAC + \angle BCA + \angle ABC = 180^\circ [\text{Sum of angles of triangle}]$$

$$\Rightarrow 40^\circ + 90^\circ + \angle ABC = 180^\circ$$

$$\Rightarrow \angle ABC = 50^\circ \text{ (i)}$$

In triangle BDE,

$$\angle BDE + \angle BED + \angle EBD = 180^\circ [\text{Sum of angles of triangle}]$$

$$\Rightarrow x^\circ + 100^\circ + 50^\circ = 180^\circ [\angle EBD = \angle ABC = 50^\circ]$$

$$\Rightarrow x^\circ = 30^\circ$$

$$\text{(vi) } x=30$$

Explanation:

In triangle ABE,

$$\angle BAE + \angle BEA + \angle ABE = 180^\circ [\text{Sum of angles of triangle}]$$

$$\Rightarrow 75^\circ + \angle BEA + 65^\circ = 180^\circ$$

$$\Rightarrow \angle BEA = 40^\circ$$

$$\angle BEA = \angle CED = 40^\circ [\text{Opposite angles}]$$

In triangle CDE,


$$\angle CDE + \angle CED + \angle ECD = 180^\circ [\text{Sum of angles of triangle}]$$

$$\Rightarrow x^\circ + 40^\circ + 110^\circ = 180^\circ$$

$$\Rightarrow x^\circ = 30^\circ$$

### 18. Question


Calculate the value of x in the given figure.



### Answer

$$x=130$$

Explanation:



In triangle ACD,

$$\angle 3 = \angle 1 + \angle C \quad \text{_____ (i)}$$

In triangle ABD,

$$\angle 4 = \angle 2 + \angle B \quad \text{_____ (ii)}$$

Adding equation (i) and (ii),

$$\angle 3 + \angle 4 = \angle 1 + \angle C + \angle 2 + \angle B$$


$$\Rightarrow \angle BDC = (\angle 1 + \angle 2) + \angle C + \angle B$$

$$\Rightarrow x^\circ = 55^\circ + 30^\circ + 45^\circ$$

$$\Rightarrow x^\circ = 130^\circ$$

### 19. Question

In the given figure, AD divides  $\angle BAC$  in the ratio 1:3 and  $AD = DB$ . Determine the value of.



### Answer

$$x = 90$$

Explanation:

$$\angle BAC + \angle CAE = 180^\circ \text{ [Because BE is a straight line]}$$

$$\Rightarrow \angle BAC + 108^\circ = 180^\circ$$

$$\Rightarrow \angle BAC = 72^\circ$$

Now,  $AD = DB$

$$\Rightarrow \angle DBA = \angle BAD$$

$$\angle BAD = (\frac{1}{4})72^\circ = 18^\circ$$

$$\angle DAC = (\frac{3}{4})72^\circ = 54^\circ$$

In triangle ABC,


$$\angle A + \angle B + \angle C = 180^\circ \text{ [Sum of angles of triangle]}$$

$$\Rightarrow 72^\circ + 18^\circ + x = 180^\circ$$

$$\Rightarrow x = 90^\circ$$

### 20. Question

If the side of a triangle are produced in order, Prove that the sum of the exterior angles so formed is equal to four right angles.



**Answer**

Proof

In triangle ABC,

$$\angle ACD = \angle B + \angle A \text{ _____ (i)}$$

$$\angle BAE = \angle B + \angle C \text{ _____ (ii)}$$

$$\angle CBF = \angle C + \angle A \text{ _____ (iii)}$$

Adding equation (i), (ii) and (iii),


$$\angle ACD + \angle BAE + \angle CBF = 2(\angle A + \angle B + \angle C)$$

$$\Rightarrow \angle ACD + \angle BAE + \angle CBF = 2(180^\circ) \text{ [Sum of angles of triangle]}$$

$$\Rightarrow \angle ACD + \angle BAE + \angle CBF = 360^\circ \text{ Proved.}$$

**21. Question**

In the adjoining figure, show that  $\angle A + \angle B + \angle C + \angle D + \angle E + \angle F = 360^\circ$



**Answer**

Proof

In triangle BDF,

$$\angle A + \angle C + \angle E = 180^\circ \text{ [Sum of angles of triangle] _____ (i)}$$

In triangle BDF,

$$\angle B + \angle D + \angle F = 180^\circ \text{ [Sum of angles of triangle] _____ (ii)}$$


From equation (i) and (ii),

$$(\angle A + \angle C + \angle E) + (\angle B + \angle D + \angle F) = (180^\circ + 180^\circ)$$

$$\Rightarrow \angle A + \angle B + \angle C + \angle D + \angle E + \angle F = 360^\circ \text{ Proved.}$$

**22. Question**

In  $\triangle ABC$  the angle bisectors of  $\angle B$  and  $\angle C$  meet at O. If  $\angle A = 70^\circ$ , Find  $\angle BOC$ .



**Answer**

$125^\circ$

Given, bisector of  $\angle B$  and  $\angle C$  meet at O.

If OB and OC are the bisector of  $\angle B$  and  $\angle C$  meet at point O .

Then,


$$\angle BOC = 90^\circ + \frac{1}{2} \angle A$$

$$\Rightarrow \angle BOC = 90^\circ + \frac{1}{2} 70^\circ$$

$$\Rightarrow \angle BOC = 125^\circ$$

**23. Question**

The sides AB and AC of  $\triangle ABC$  have been produced to D and E respectively. The bisectors of  $\angle CBD$  and  $\angle BCE$  meet at O. If  $\angle A = 40^\circ$  find  $\angle BOC$ .



**Answer**

$70^\circ$

Given, bisector of  $\angle CBD$  and  $\angle BCE$  meet at O.

If OB and OC are the bisector of  $\angle CBD$  and  $\angle BCE$  meet at point O .

Then,


$$\angle BOC = 90^\circ - \frac{1}{2} \angle A$$

$$\Rightarrow \angle BOC = 90^\circ - \frac{1}{2} 40^\circ$$

$$\Rightarrow \angle BOC = 70^\circ$$

**24. Question**

In the given figure, ABC is a triangle in which  $\angle A : \angle B : \angle C = 3:2:1$  and  $AC \perp CD$ . Find the measure of  $\angle ECD$ .



**Answer**

$60^\circ$

Given,  $\angle A : \angle B : \angle C = 3:2:1$  and  $AC \perp CD$

Let,  $\angle A = 3a$

$\angle B = 2a$

$\angle C = a$

In triangle ABC,

$\angle A + \angle B + \angle C = 180^\circ$  [Sum of angles of triangle]

$\Rightarrow 3a + 2a + a = 180^\circ$

$\Rightarrow 6a = 180^\circ$

$\Rightarrow a = 30^\circ$

Therefore,  $\angle C = a = 30^\circ$

Now,


$\angle ACB + \angle ACD + \angle ECD = 180^\circ$  [Sum of angles of triangle]

$\Rightarrow 30^\circ + 90^\circ + \angle ECD = 180^\circ$

$\Rightarrow \angle ECD = 60^\circ$

**25. Question**

In the given figure,  $AM \perp BC$  and AN is the bisector of  $\angle A$ . Find the measure of  $\angle MAN$ .



**Answer**

$17.5^\circ$

Given,  $AM \perp BC$  and "AN" is the bisector of  $\angle A$ .

Therefore,

$$\angle MAN = \frac{1}{2} (\angle B - \angle C)$$

$$\Rightarrow \angle MAN = \frac{1}{2} (65^\circ - 30^\circ)$$

$$\Rightarrow \angle MAN = 17.5^\circ$$

## 26. Question

State 'True' or 'false':

- (i) A triangle can have two right angles.
- (ii) A triangle cannot have two obtuse angles.
- (iii) A triangle cannot have two acute angles.
- (iv) A triangle can have each angle less than  $60^\circ$ .
- (v) A triangle can have each angle equal to  $60^\circ$ .
- (vi) There cannot be a triangle whose angles measure  $10^\circ$ ,  $80^\circ$  and  $100^\circ$ .

## Answer


(i) False

Because, sum of angles of triangle equal to  $180^\circ$ . In a triangle maximum one right angle.




(ii) True

Because, obtuse angle measures in  $90^\circ$  to  $180^\circ$  and we know that the sum of angles of triangle is equal to  $180^\circ$ .



(iii) False

Because, in an obtuse triangle is one with one obtuse angle and two acute angles.



(iv) False

If each angles of triangle is less than  $180^\circ$  then sum of angles of triangle are not equal to  $180^\circ$ .

Any triangle,

$$\angle 1 + \angle 2 + \angle 3 = 180^\circ$$

(v) True

If value of angles of triangle is same then the each value is equal to  $60^\circ$ .

$$\angle 1 + \angle 2 + \angle 3 = 180^\circ$$

$$\Rightarrow \angle 1 + \angle 1 + \angle 1 = 180^\circ [\angle 1 = \angle 2 = \angle 3]$$

$$\Rightarrow 3 \angle 1 = 180^\circ$$

$$\Rightarrow \angle 1 = 60^\circ$$

(vi) True

We know that sum of angles of triangle is equal to  $180^\circ$ .

Sum of angles,

$$= 10^\circ + 80^\circ + 100^\circ$$

$$= 190^\circ$$

Therefore, angles measure in  $(10^\circ, 80^\circ, 100^\circ)$  cannot be a triangle.

## CCE Questions

### 1. Question

If two angles are complements of each other, then each angle is

- A. an acute angle
- B. an obtuse angle
- C. a right angle
- D. a reflex angle

### Answer

If two angles are complements of each other, then each angle is an acute angle

### 2. Question

An angle which measures more than  $180^\circ$  but less than  $360^\circ$ , is called

- A. an acute angle
- B. an obtuse angle
- C. a straight angle
- D. a reflex angle

### Answer

An angle which measures more than  $180^\circ$  but less than  $360^\circ$ , is called a reflex angle.



### 3. Question

The complement of  $72^{\circ}40'$  is

- A.  $107^{\circ}20'$
- B.  $27^{\circ}20'$
- C.  $17^{\circ}20'$
- D.  $12^{\circ}40'$

### Answer

As we know that sum of two complementary – angles is  $90^{\circ}$ .

$$\text{So, } x + y = 90^{\circ}$$

$$72^{\circ}40' + y = 90$$

$$y = 90^{\circ} - 72^{\circ}40'$$

$$y = 17^{\circ}20'$$

### 4. Question

The supplement of  $54^{\circ}30'$  is

- A.  $35^{\circ}30'$
- B.  $125^{\circ}30'$
- C.  $45^{\circ}30'$
- D.  $65^{\circ}30'$

### Answer

As we know that sum of two supplementary – angles is  $180^{\circ}$ .

$$\text{So, } x + y = 180^{\circ}$$

$$54^{\circ}30' + y = 180$$

$$y = 180^{\circ} - 54^{\circ}30'$$

$$y = 125^{\circ}30'$$

### 5. Question

The measure of an angle is five times its complement. The angle measures

- A.  $25^{\circ}$
- B.  $35^{\circ}$
- C.  $65^{\circ}$
- D.  $75^{\circ}$

### Answer

As we know that sum of two complementary – angles is  $90^{\circ}$ .

$$\text{So, } x + y = 90^\circ$$

According to question  $y = 5x$

$$x + 5x = 90$$

$$6x = 90^\circ$$

$$x = 15^\circ$$

$$y = 75^\circ$$

### 6. Question

Two complementary angles are such that twice the measure of the one is equal to three times the measure of the other. The larger of the two measures

A.  $72^\circ$

B.  $54^\circ$

C.  $63^\circ$

D.  $36^\circ$

### Answer

As we know that sum of two complementary – angles is  $90^\circ$ .

$$\text{So, } x + y = 90^\circ$$

Let  $x$  be the common multiple.

According to question angles would be  $2x$  and  $3x$ .

$$2x + 3x = 90$$

$$5x = 90^\circ$$

$$x = 18^\circ$$

$$2x = 36^\circ$$

$$3x = 54^\circ$$

So, larger angle is  $54^\circ$

### 7. Question

Two straight lines AB and CD cut each other at O. If  $\angle BOD = 63^\circ$ , then  $\angle AOC = ?$


A.  $63^\circ$

B.  $117^\circ$

C.  $17^\circ$

D.  $153^\circ$

### Answer



$$\angle BOD = 63^\circ$$

As we know that sum of adjacent angle on a straight line is  $180^\circ$ .


$$\angle BOD + \angle BOC = 180^\circ$$

$$\angle BOC = 180^\circ - 63^\circ$$

$$\angle BOC = 117^\circ$$

### 8. Question

In the given figure, AOB is a straight line. If  $\angle AOC + \angle BOD = 95^\circ$ , then  $\angle COD = ?$



- A.  $95^\circ$
- B.  $85^\circ$
- C.  $90^\circ$
- D.  $55^\circ$

### Answer

As we know that sum of adjacent angle on a straight line is  $180^\circ$ .


$$\angle AOC + \angle BOD + \angle COD = 180^\circ$$

$$\angle COD = 180^\circ - 95^\circ$$

$$\angle COD = 85^\circ$$

### 9. Question

In the given figure, AOB is a straight line. If  $\angle AOC = 4x^\circ$  and  $\angle BOC = 5x^\circ$ , then  $\angle AOC = ?$



- A.  $40^\circ$

- B.  $60^\circ$
- C.  $80^\circ$
- D.  $100^\circ$

**Answer**

As we know that sum of adjacent angle on a straight line is  $180^\circ$ .

According to question,

$$\angle AOC = 4x^\circ$$

$$\angle BOC = 5x^\circ,$$

$$4x + 5x = 180^\circ$$


$$9x = 180^\circ$$

$$x = 20^\circ$$

$$\angle AOC = 4x^\circ = 80^\circ$$

**10. Question**

In the given figure, AOB is a straight line. If  $\angle AOC = (3x + 10)^\circ$  and  $\angle BOC = (4x - 26)^\circ$ , then  $\angle BOC = ?$



- A.  $96^\circ$
- B.  $86^\circ$
- C.  $76^\circ$
- D.  $106^\circ$

**Answer**

As we know that sum of adjacent angle on a straight line is  $180^\circ$ .

According to question,

$$\angle AOC = (3x + 10)^\circ$$

$$\angle BOC = (4x - 26)^\circ$$

$$3x + 10 + 4x - 26 = 180^\circ$$

$$7x - 16 = 180^\circ$$

$$7x = 196^\circ$$

$$x = 28^\circ$$


$$\angle BOC = (4x - 26)^\circ$$

$$\angle BOC = 112^\circ - 26^\circ$$

$$\angle BOC = 86^\circ$$

### 11. Question

In the given figure, AOB is a straight line. If  $\angle AOC = 40^\circ$ ,  $\angle COD = 4x^\circ$ , and  $\angle BOD = 3x^\circ$ , then  $\angle COD = ?$



- A.  $80^\circ$
- B.  $100^\circ$
- C.  $120^\circ$
- D.  $140^\circ$

### Answer

As we know that sum of all angles on a straight line is  $180^\circ$

$$\angle AOC + \angle COD + \angle BOD = 180^\circ$$

$$\angle AOC + \angle COD + \angle BOD = 180^\circ$$

$$40^\circ + 4x + 3x = 180^\circ$$

$$7x = 140^\circ$$


$$x = 20^\circ$$

So,

$$\angle COD = 4x = 80^\circ$$

### 12. Question

In the given figure, AOB is a straight line. If  $\angle AOC = (3x - 10)^\circ$ ,  $\angle COD = 50^\circ$  and  $\angle BOD = (x + 20)^\circ$ , then  $\angle AOC = ?$



- A.  $40^\circ$
- B.  $60^\circ$
- C.  $80^\circ$
- D.  $50^\circ$

**Answer**

As we know that sum of all angles on a straight line is  $180^\circ$ .

$$\angle AOC + \angle COD + \angle BOD = 180^\circ$$

$$(3x - 10) + 50^\circ + (x + 20) = 180^\circ$$

$$4x + 10 = 130^\circ$$

$$4x = 120^\circ$$

$$x = 30^\circ$$

So,

$$\angle AOC = 3x - 10 = 90^\circ - 10^\circ = 80^\circ$$

**13. Question**

Which of the following statements is false?

- A. Through a given point, only one straight line can be drawn.
- B. Through two given points, it is possible to draw one and only one straight line.
- C. Two straight lines can intersect only at one point.
- D. A line segment can be produced to any desired length.

**Answer**

Through a given point, we can draw infinite number of lines.

**14. Question**

An angle is one – fifth of its supplement. The measure of the angle is

- A.  $15^\circ$
- B.  $30^\circ$
- C.  $75^\circ$

D.  $150^\circ$

**Answer**

Let  $x$  be the common multiple.

According to question,

$$y = 5x$$

As we know that sum of two supplementary – angles is  $180^\circ$ .

$$\text{So, } x + y = 180^\circ$$


$$x + 5x = 180$$

$$6x = 180^\circ$$

$$x = 30^\circ$$

**15. Question**

In the adjoining figure, AOB is a straight line. If  $x : y : z = 4 : 5 : 6$ , then  $y = ?$



A.  $60^\circ$

B.  $80^\circ$

C.  $48^\circ$

D.  $72^\circ$

**Answer**

Let  $n$  be the common multiple

$$x : y : z = 4 : 5 : 6,$$

As we know that sum of all angles on a straight line is  $180^\circ$ .

$$4n + 5n + 6n = 180^\circ$$


$$15n = 180^\circ$$

$$n = 12^\circ$$

$$y = 5n = 60^\circ$$

**16. Question**

In the given figure, straight lines AB and CD intersect at O. If  $\angle AOC = \phi$ ,  $\angle BOC = \theta$  and  $\theta = 3\theta$ , then  $\theta = ?$



- A.  $30^\circ$
- B.  $40^\circ$
- C.  $45^\circ$
- D.  $60^\circ$

**Answer**

As we know that sum of all angles on a straight line is  $180^\circ$ .

According to question,

$$\theta = 3\phi,$$

$$\phi + \theta = 180^\circ$$


$$\phi + 3\phi = 180^\circ$$

$$4\phi = 180^\circ$$

$$\phi = 45^\circ$$

**17. Question**

In the given figure, straight lines AB and CD intersect at O. If  $\angle AOC + \angle BOD = 130^\circ$ , then  $\angle AOD = ?$



- A.  $65^\circ$
- B.  $115^\circ$
- C.  $110^\circ$
- D.  $125^\circ$

**Answer**

AC and BD intersect at O.



$$\angle AOC = \angle BOD$$

$$\angle AOC + \angle BOD = 130^\circ$$

$$\angle BOD + \angle BOD = 130^\circ$$

$$2\angle BOD = 130^\circ$$

$$\angle BOD = 65^\circ$$

As we know that sum of all angles on a straight line is  $180^\circ$ .

$$\angle AOD + \angle BOD = 180^\circ$$


$$\angle AOD + 65^\circ = 180^\circ$$

$$\angle AOD = 180^\circ - 65^\circ$$

$$\angle AOD = 115^\circ$$

### 18. Question

In the given figure AB is a mirror, PQ is the incident ray and QR is the reflected ray. If  $\angle PQR = 108^\circ$ , then  $\angle AQP = ?$



A.  $72^\circ$

B.  $18^\circ$

C.  $36^\circ$

D.  $54^\circ$

### Answer

Incident ray makes the same angle as reflected ray.

So,

$$\angle AQP + \angle PQR + \angle BQR = 180^\circ$$

$$\angle AQP + \angle PQR + \angle AQP = 180^\circ (\angle AQP = \angle BQR)$$

$$2\angle AQP + 108^\circ = 180^\circ$$


$$2\angle AQP = 180^\circ - 108^\circ$$

$$2\angle AQP = 72^\circ$$

$$\angle AQP = 36^\circ$$

### 19. Question

In the given figure  $AB \parallel CD$ . If  $\angle OAB = 124^\circ$ ,  $\angle OCD = 136^\circ$ , then  $\angle AOC = ?$



- A.  $80^\circ$
- B.  $90^\circ$
- C.  $100^\circ$
- D.  $110^\circ$

### Answer

Draw a line EF such that  $EF \parallel AB$  and  $EF \parallel CD$  crossing point O.

$$\angle FOC + \angle OCD = 180^\circ (\text{Sum of consecutive interior angles is } 180^\circ)$$

$$\angle FOC = 180 - 136 = 44^\circ$$

$EF \parallel AB$  such that AO is transversal.

$$\angle OAB + \angle FOA = 180^\circ (\text{Sum of consecutive interior angles is } 180^\circ)$$

$$\angle FOA = 180 - 124 = 56^\circ$$


$$\angle AOC = \angle FOC + \angle FOA$$

$$= 56 + 44$$

$$= 100^\circ$$

### 20. Question

In the given figure  $AB \parallel CD$  and O is a point joined with B and D, as shown in the figure such that  $\angle ABO = 35$  and  $\angle CDO = 40^\circ$ . Reflex  $\angle BOD = ?$



- A.  $255^\circ$
- B.  $265^\circ$
- C.  $275^\circ$
- D.  $285^\circ$

**Answer**

Draw a line EF such that  $EF \parallel AB$  and  $EF \parallel CD$  crossing point O.

$$\angle ABO + \angle EOB = 180^\circ (\text{Sum of consecutive interior angles is } 180^\circ)$$

$$\angle EOB = 180 - 35 = 145^\circ$$

$EF \parallel CD$  such that AO is transversal.

$$\angle CDO + \angle EOD = 180^\circ (\text{Sum of consecutive interior angles is } 180^\circ)$$

$$\angle EOD = 180 - 40 = 140^\circ$$


$$\angle BOD = \angle EOB + \angle EOD$$

$$= 145 + 140$$

$$= 285^\circ$$

**21. Question**

In the given figure,  $AB \parallel CD$ . If  $\angle ABO = 130^\circ$  and  $\angle OCD = 110^\circ$ , then  $\angle BOC = ?$



- A.  $50^\circ$
- B.  $60^\circ$
- C.  $70^\circ$
- D.  $80^\circ$

**Answer**

According to question,

$AB \parallel CD$

$AF \parallel CD$  (AB is produced to F, CF is transversal)

$$\angle DCF = \angle BFC = 110^\circ$$

Now,  $\angle BFC + \angle BFO = 180^\circ$  (Sum of angles of Linear pair is  $180^\circ$ )

$$\angle BFO = 180^\circ - 110^\circ = 70^\circ$$

Now in triangle BOF, we have

$$\angle ABO = \angle BFO + \angle BOF$$


$$130 = 70 + \angle BOF$$

$$\angle BOF = 130 - 70 = 60^\circ$$

So,  $\angle BOC = 60^\circ$

## 22. Question

In the given figure,  $AB \parallel CD$ . If  $\angle BAO = 60^\circ$  and  $\angle OCD = 110^\circ$ , then  $\angle AOC = ?$



A.  $70^\circ$

B.  $60^\circ$

C.  $50^\circ$

D.  $40^\circ$

## Answer

According to question,

$AB \parallel CD$

$AB \parallel DF$  (DC is produced to F)

$$\angle OCD = 110^\circ$$

$$\angle FCD = 180 - 110 = 70^\circ \text{ (linear pair)}$$

Now in triangle FOC, we have

$$\angle FOC + \angle CFO + \angle OCF = 180^\circ$$

$$\angle FOC + 60 + 70 = 180^\circ$$


$$\angle FOC = 180 - 130$$

$$= 50^\circ$$

$$\text{So, } \angle AOC = 50^\circ$$

### 23. Question

In the given figure,  $AB \parallel CD$ . If  $\angle AOC = 30^\circ$  and  $\angle OAB = 100^\circ$ , then  $\angle OCD = ?$



A.  $130^\circ$

B.  $150^\circ$

C.  $80^\circ$

D.  $100^\circ$

### Answer

From O, draw E such that  $OE \parallel CD \parallel AB$ .

$OE \parallel CD$  and  $OC$  is transversal.

So,

$$\angle DCO + \angle COE = 180 \text{ (co-interior angles)}$$

$$x + \angle COE = 180$$

$$\angle COE = (180 - x)$$

Now,  $OE \parallel AB$  and  $AO$  is the transversal.

$$\angle BAO + \angle AOE = 180 \text{ (co-interior angles)}$$

$$\angle BAO + \angle AOC + \angle COE = 180$$


$$100 + 30 + (180 - x) = 180$$

$$180 - x = 50$$

$$x = 180 - 50 = 130^\circ$$

### 24. Question

In the given figure,  $AB \parallel CD$ . If  $\angle CAB = 80^\circ$  and  $\angle EFC = 25^\circ$ , then  $\angle CEF = ?$



- A.  $65^\circ$
- B.  $55^\circ$
- C.  $45^\circ$
- D.  $75^\circ$

**Answer**

$AB \parallel CD$

$$\angle BAC = \angle DCF = 80^\circ$$

$$\angle ECF + \angle DCF = 180^\circ \text{ (linear pair of angles)}$$

$$\angle ECF = 100^\circ$$

Now in triangle CFE,


$$\angle ECF + \angle EFC + \angle CEF = 180^\circ$$

$$\angle CEF = 180^\circ - 100^\circ - 25^\circ$$

$$= 55^\circ$$

**25. Question**

In the given figure,  $AB \parallel CD$ . If  $\angle APQ = 70^\circ$  and  $\angle PRD = 120^\circ$ , then  $\angle QPR = ?$



- A.  $50^\circ$

B.  $60^\circ$

C.  $40^\circ$

D.  $35^\circ$

**Answer**

$$\angle PRD = 120^\circ$$

$$\angle PRQ = 180^\circ - 120^\circ = 60^\circ$$

$$\angle APQ = \angle PQR = 70^\circ$$

Now, in triangle PQR, we have

$$\angle PQR + \angle PRQ + \angle QPQ = 180^\circ$$


$$70 + 60 + \angle QPQ = 180^\circ$$

$$\angle QPQ = 180^\circ - 130^\circ$$

$$= 50^\circ$$

**26. Question**

In the given figure,  $x = ?$



A.  $\alpha + \beta - \gamma$

B.  $\alpha - \beta + \gamma$

C.  $\alpha + \beta + \gamma$

D.  $\alpha + \gamma - \beta$

**Answer**

AC is produced to meet OB at D.

$$\angle OEC = 180 - (\beta + \gamma)$$

$$\text{So, } \angle BEC = 180 - (180 - (\beta + \gamma)) = (\beta + \gamma)$$

Now,  $x = \angle BEC + \angle CBE$  (Exterior Angle)

$$= (\beta + \gamma) + \alpha$$

$$= \alpha + \beta + \gamma$$

bodhiyla.com

**27. Question**

If  $3\angle A = 4\angle B = 6\angle C$ , then  $A : B : C = ?$

- A. 3:4:6
- B. 4:3:2
- C. 2:3:4
- D. 6:4:3

**Answer**

Let say  $3\angle A = 4\angle B = 6\angle C = x$

$$\angle A = x/3$$

$$\angle B = x/4$$

$$\angle C = x/6$$

$$\angle A + \angle B + \angle C = 180$$

$$x/3 + x/4 + x/6 = 180$$

$$(4x + 3x + 2x)/12 = 180$$

$$9x/12 = 180$$

$$X = 240$$

$$\angle A = x/3 = 240/3 = 80$$

$$\angle B = x/4 = 240/4 = 60$$

$$\angle C = x/6 = 240/6 = 40$$

So,  $A:B:C = 4:3:2$

**28. Question**

In  $\triangle ABC$ , if  $\angle A + \angle B = 125^\circ$  and  $\angle A + \angle C = 113^\circ$ , then  $\angle A = ?$

- A.  $(62.5^\circ)$
- B.  $(56.5)^\circ$
- C.  $58^\circ$
- D.  $63^\circ$

**Answer**

$$\angle A + \angle B + \angle C = 180$$

$$\angle C = 180 - 125 = 55^\circ$$

$$\angle A + \angle C = 113^\circ$$

$$\angle A = 113 - 55 = 58^\circ$$



### 29. Question

In  $\triangle ABC$ , if  $\angle A - \angle B = 42^\circ$  and  $\angle B - \angle C = 21^\circ$ , then  $\angle B = ?$

- A.  $95^\circ$
- B.  $53^\circ$
- C.  $32^\circ$
- D.  $63^\circ$

### Answer

$$\angle A = \angle B + 42$$

$$\angle C = \angle B - 21$$

$$\angle A + \angle B + \angle C = 180$$

$$\angle B + 42 + \angle B + \angle B - 21 = 180$$


$$3\angle B + 21 = 180$$

$$3\angle B = 159$$

$$\angle B = 53^\circ$$

### 30. Question

In  $\triangle ABC$ , side BC is produced to D. If  $\angle ABC = 40^\circ$  and  $\angle ACD = 120^\circ$ , then  $\angle A = ?$



- A.  $60^\circ$
- B.  $40^\circ$
- C.  $80^\circ$
- D.  $50^\circ$

### Answer

$$\angle ACD + \angle ACB = 180 \text{ (Linear pair of angles)}$$

$$\angle ACB = 60^\circ$$

$$\angle ABC = 40^\circ$$

As we know that


$$\angle ACB + \angle ABC + \angle BAC = 180^\circ$$

$$\angle BAC = 180 - 60 - 40$$

$$=80^\circ$$

### 31. Question

Side BC of  $\triangle ABC$  has been produced to D on left hand side and to E on right hand side such that  $\angle ABD = 125^\circ$  and  $\angle ACE = 130^\circ$ . Then  $\angle A = ?$



A.  $65^\circ$

B.  $75^\circ$

C.  $50^\circ$

D.  $55^\circ$

### Answer

$$\angle ABD + \angle ABC = 180 \text{ (Linear pair of angles)}$$

$$\angle ABC = 180^\circ - 125^\circ = 55^\circ$$

$$\angle ACE + \angle ACB = 180 \text{ (Linear pair of angles)}$$

$$\angle ACB = 180^\circ - 130^\circ = 50^\circ$$

As we know that


$$\angle ACB + \angle ABC + \angle BAC = 180^\circ$$

$$\angle BAC = 180 - 55 - 50$$

$$= 75^\circ$$

### 32. Question

In the given figure,  $\angle BAC = 30^\circ$ ,  $\angle ABC = 50^\circ$  and  $\angle CDE = 40^\circ$ . Then  $\angle AED = ?$



A.  $120^\circ$

B.  $100^\circ$

C.  $80^\circ$

D.  $110^\circ$

**Answer**

$$\angle ACB + \angle ABC + \angle BAC = 180$$

$$\angle ACB = 180 - 50 - 30 = 100^\circ (\text{Sum of angles of triangle is } 180)$$

$$\angle ACB + \angle ACD = 180 (\text{linear pair of angles})$$

$$\angle ACD = 180 - 100 = 80^\circ$$

In triangle ECD,

$$\angle ECD + \angle CDE + \angle DEC = 180$$

$$\angle DEC = 180 - 80 - 40$$

$$= 60^\circ$$


$$\angle DEC + \angle AED = 180^\circ (\text{linear pair of angles})$$

$$\angle AED = 180^\circ - 60^\circ$$

$$= 120^\circ$$

**33. Question**

In the given figure,  $\angle BAC = 40^\circ$ ,  $\angle ACB = 90^\circ$  and  $\angle BED = 100^\circ$ . Then  $\angle BDE = ?$



A.  $50^\circ$

B.  $30^\circ$

C.  $40^\circ$

D.  $25^\circ$

**Answer**

In triangle AEF,

$$\angle BED = \angle EFA + \angle EAF$$

$$\angle EFA = 100 - 40 = 60^\circ$$

$$\angle CFD = \angle EFA (\text{vertical opposite angles})$$

$$= 60^\circ$$

In triangle CFD, we have

$$\angle CFD + \angle FCD + \angle CDF = 180^\circ$$


$$\angle CDF = 180^\circ - 90^\circ - 60^\circ$$

$$= 30^\circ$$

$$\text{So, } \angle BDE = 30^\circ$$

### 34. Question

In the given figure, BO and CO are the bisectors of  $\angle B$  and  $\angle C$  respectively. If  $\angle A = 50^\circ$ , then  $\angle BOC = ?$



A.  $130^\circ$

B.  $100^\circ$

C.  $115^\circ$

D.  $120^\circ$

### Answer

In  $\triangle ABC$ ,

$$\angle A + \angle B + \angle C = 180^\circ$$

$$50^\circ + \angle B + \angle C = 180^\circ$$

$$\angle B + \angle C = 180^\circ - 50^\circ = 130^\circ$$

$$\angle B = 65^\circ$$

$$\angle C = 65^\circ$$

Now in  $\triangle OBC$ ,


$$\angle OBC + \angle OCB + \angle BOC = 180^\circ$$

$$\angle BOC = 180^\circ - 65^\circ \quad (\angle OBC + \angle OCB = 65^\circ \text{ because O is bisector of } \angle B \text{ and } \angle C)$$

$$= 115^\circ$$

### 35. Question

In the given figure,  $AB \parallel CD$ . If  $\angle EAB = 50^\circ$  and  $\angle ECD = 60^\circ$ , then  $\angle AEB = ?$



- A.  $50^\circ$
- B.  $60^\circ$
- C.  $70^\circ$
- D.  $55^\circ$

**Answer**

$AB \parallel CD$  and  $BC$  is transversal.

So,  $\angle DCB = \angle ABC = 60^\circ$

Now in triangle  $AEB$ , we have


$$\angle ABE + \angle BAE + \angle AEB = 180^\circ$$

$$\angle AEB = 180^\circ - 60^\circ - 50^\circ$$

$$= 70^\circ$$

**36. Question**

In the given figure,  $\angle OAB = 75^\circ$ ,  $\angle OBA = 55^\circ$  and  $\angle OCD = 100^\circ$ . Then  $\angle ODC = ?$



- A.  $20^\circ$
- B.  $25^\circ$
- C.  $30^\circ$
- D.  $35^\circ$

**Answer**

In triangle  $AOB$ ,

$$\angle AOB = 180^\circ - 75^\circ - 55^\circ$$

$$= 50^\circ$$

$$\angle AOB = \angle COD = 50^\circ (\text{Opposite angles})$$


Now in triangle COD,

$$\angle ODC = 180^\circ - 100^\circ - 50^\circ$$

$$= 30^\circ$$

### 37. Question

In a  $\triangle ABC$  it is given that  $\angle A : \angle B : \angle C = 3 : 2 : 1$  and  $CD \perp AC$ . Then  $\angle ECD = ?$



A.  $60^\circ$

B.  $45^\circ$

C.  $75^\circ$

D.  $30^\circ$

### Answer

As per question,

$$\angle A : \angle B : \angle C = 3 : 2 : 1$$

So,

$$\angle A = 90^\circ$$

$$\angle B = 60^\circ$$

$$\angle C = 30^\circ$$

$$\angle ACB + \angle ACD + \angle ECD = 180^\circ \text{ (sum of angles on straight line)}$$

$$\angle ECD = 180^\circ - 90^\circ - 30^\circ$$

$$= 60^\circ$$

### 38. Question

In the given figure,  $AB \parallel CD$ . If  $\angle ABO = 45^\circ$  and  $\angle COD = 100^\circ$  then  $\angle CDO = ?$

A.  $25^\circ$

B.  $30^\circ$

C.  $35^\circ$

D.  $45^\circ$

### Answer

$$\angle BOA = 100^\circ \text{ (Opposite pair of angles)}$$

So,


$$\angle BAO = 180^\circ - 100^\circ - 45^\circ$$

$$= 35^\circ$$

$$\angle BAO = \angle CDO = 35^\circ \text{ (Corresponding Angles)}$$

### 39. Question

In the given figure,  $AB \parallel DC$ ,  $\angle BAD = 90^\circ$ ,  $\angle CBD = 28^\circ$  and  $\angle BCE = 65^\circ$ . Then  $\angle ABD = ?$



A.  $32^\circ$

B.  $37^\circ$

C.  $43^\circ$

D.  $53^\circ$

### Answer

$$\angle BCE = \angle ABC = 65^\circ \text{ (Alternate Angles)}$$

$$\angle ABC = \angle ABD + \angle DBC$$


$$65^\circ = \angle ABD + 28^\circ$$

$$\angle ABD = 65 - 28$$

$$= 37^\circ$$

### 40. Question

For what value of  $x$  shall we have  $l \parallel m$ ?



A.  $x = 50$

B.  $x = 70$

C.  $x = 60$

D.  $x = 45$

**Answer**


$$X + 20 = 2x - 30 \text{ (Corresponding Angles)}$$

$$2x - x = 30 + 20$$

$$X = 50^\circ$$

**41. Question**

For what value of  $x$  shall we have  $l \parallel m$ ?



A.  $x = 35$

B.  $x = 30$

C.  $x = 25$

D.  $x = 20$

**Answer**

$$4x + 3x + 5 = 180^\circ \text{ (Interior angles of same side of transversal)}$$


$$7x + 5 = 180^\circ$$

$$7x = 175$$

$$X = 25^\circ$$

**42. Question**

In the given figure, sides  $CB$  and  $BA$  of  $\triangle ABC$  have been produced to  $D$  and  $E$  respectively such that  $\angle ABD = 110^\circ$  and  $\angle CAE = 135^\circ$ . Then  $\angle ACB = ?$



A.  $35^\circ$



B.  $45^\circ$

C.  $55^\circ$

D.  $65^\circ$

**Answer**

$$\angle ABC = 180 - 110 = 70^\circ \text{ (Linear pair of angles)}$$

$$\angle BAC = 180 - 135 = 45^\circ \text{ (Linear pair of angles)}$$

So,


In Triangle ABC, we have

$$\angle ABC + \angle BAC + \angle ACB = 180^\circ$$

$$\angle ACB = 180 - 70 - 45 = 65^\circ$$

**43. Question**

In  $\triangle ABC$ ,  $BD \perp AC$ ,  $\angle CAE = 30^\circ$  and  $\angle CBD = 40^\circ$ . Then  $\angle AEB = ?$



A.  $35^\circ$

B.  $45^\circ$

C.  $25^\circ$

D.  $55^\circ$

**Answer**

In triangle BDC,

$$\angle B = 40, \angle D = 90$$

$$\text{So, } \angle C = 180 - (90 + 40)$$

$$= 50^\circ$$

Now in triangle AEC,

$$\angle C = 50, \angle A = 30$$

$$\text{So, } \angle E = 180 - (50 + 30)$$


$$= 100^\circ$$

Thus,  $\angle AEB = 180 - 100$  (Sum of linear pair is  $180^\circ$ )

$$= 80^\circ$$

#### 44. Question

In the given figure,  $AB \parallel CD$ ,  $CD \parallel EF$  and  $y : z = 3 : 7$ , then  $x = ?$



- A.  $108^\circ$
- B.  $126^\circ$
- C.  $162^\circ$
- D.  $63^\circ$

#### Answer

Let  $n$  be the common multiple.

$$Y + Z = 180$$

$$3n + 7n = 180$$

$$N = 18$$

$$\text{So, } y = 3n = 54^\circ$$


$$z = 7n = 126^\circ$$

$$x = z \text{ (Pair of alternate angles)}$$

$$\text{So, } x = 126^\circ$$

#### 45. Question

In the given figure,  $AB \parallel CD \parallel EF$ ,  $EA \perp AB$  and  $BDE$  is the transversal such that  $\angle DEF = 55^\circ$ . Then  $\angle AEB = ?$



- A.  $35^\circ$
- B.  $45^\circ$

C.  $25^\circ$

D.  $55^\circ$

**Answer**

According to question

$AB \parallel CD \parallel EF$  and

$EA \perp AB$

So,  $\angle D = \angle B$  (Corresponding angles)

According to question  $CD \parallel EF$  and  $BE$  is the transversal then,

$\angle D + \angle E = 180$  (Interior angle on the same side is supplementary)

So,  $\angle D = 180 - 55 = 125^\circ$

And  $\angle B = 125^\circ$

Now,  $AB \parallel EF$  and  $AE$  is the transversal.

So,  $\angle BAE + \angle FEA = 180$  (Interior angle on the same side of transversal is supplementary)


$$90 + x + 55 = 180$$

$$x + 145 = 180$$

$$x = 180 - 145 = 35^\circ$$

**46. Question**

In the given figure,  $AM \perp BC$  and  $AN$  is the bisector of  $\angle A$ . If  $\angle ABC = 70^\circ$  and  $\angle ACB = 20^\circ$ , then  $\angle MAN = ?$



A.  $20^\circ$

B.  $25^\circ$

C.  $15^\circ$

D.  $30^\circ$

**Answer**

In triangle  $ABC$ ,

$$\angle B = 70^\circ$$

$$\angle C = 20^\circ$$

$$\text{So, } \angle A = 180^\circ - 70^\circ - 20^\circ = 90^\circ$$

According to question,  $AN$  is bisector of  $\angle A$

So,  $\angle BAN = 45^\circ$

Now, in triangle BAM,

$$\angle B = 70^\circ$$

$$\angle M = 90^\circ$$

$$\angle BAM = 180^\circ - 70^\circ - 90^\circ = 20^\circ$$

$$\text{Now, } \angle MAN = \angle BAN - \angle BAM$$

$$= 45^\circ - 20^\circ$$

$$= 25^\circ$$

#### 47. Question

An exterior angle of a triangle is  $110^\circ$  and one of its interior opposite angles is  $45^\circ$ , then the other interior opposite angle is

- A.  $45^\circ$
- B.  $65^\circ$
- C.  $25^\circ$
- D.  $135^\circ$

#### Answer

Exterior angle formed when the side of a triangle is produced is equal to the sum of the interior opposite angles.

$$\text{Exterior angle} = 110^\circ$$

$$\text{One of the interior opposite angles} = 45^\circ$$

$$\text{Let the other interior opposite angle} = x$$

$$110^\circ = 45^\circ + x$$


$$x = 110^\circ - 45^\circ$$

$$x = 65^\circ$$

Therefore, the other interior opposite angle is  $65^\circ$ .

#### 48. Question

The sides BC, CA and AB of  $\triangle ABC$  have been produced to D, E and F respectively as shown in the figure, forming exterior angles  $\angle ACD$ ,  $\angle BAE$  and  $\angle CBF$ . Then,  $\angle ACD + \angle BAE + \angle CBF = ?$



- A.  $240^\circ$
- B.  $300^\circ$
- C.  $320^\circ$
- D.  $360^\circ$

**Answer**

In  $\Delta ABC$ ,

we have  $CBF = 1 + 3 \dots(i)$  [exterior angle is equal to the sum of opposite interior angles] Similarly,  $ACD = 1 + 2 \dots(ii)$

and  $BAE = 2 + 3 \dots(iii)$

On adding Eqs. (i), (ii) and (iii),

we get  $CBF + ACD + BAE = 2[1 + 2 + 3] = 2 \times 180^\circ = 4 \times 90^\circ$

[by angle sum property of a triangle is  $180^\circ$ ]  $CBF + ACD + BAE = 4$  right angles

Thus, if the sides of a triangle are produced in order, then the sum of exterior angles so formed is equal to four right angles =  $360^\circ$

**49. Question**

The angles of a triangle are in the ratio 3:5:7. The triangle is

- A. acute angled
- B. right – angled
- C. obtuse angled
- D. isosceles

**Answer**

Let x be the common multiple.

$$3x + 5x + 7x = 180$$

$$15x = 180$$

$$x = 180/15$$

$$x = 12 \quad 3x = 3 \times 12 = 36$$

$$5x = 5 \times 12 = 60$$

$$7x = 7 \times 12 = 84$$

Since, all the angles are less than  $90^\circ$ . So, it is acute angled triangle.

### 50. Question

If the vertical angle of a triangle is  $130^\circ$ , then the angle between the bisectors of the base angles of the triangle is

- A.  $65^\circ$
- B.  $100^\circ$
- C.  $130^\circ$
- D.  $155^\circ$

### Answer

Let  $x$  and  $y$  be the bisected angles.

So in the original triangle, sum of angles is

$$130 + 2x + 2y = 180$$

$$2(x + y) = 50$$

$$x + y = 25$$

In the smaller triangle consisting of the original side opposite  $130$  and the 2 bisectors,


$$x + y + \text{Base Angle} = 180$$

$$25 + \text{Base Angle} = 180$$

$$\text{Base Angle} = 155^\circ$$

### 51. Question

The sides BC, BA and CA of  $\triangle ABC$  have been produced to D, E and F respectively, as shown in the given figure. Then,  $\angle B = ?$



- A.  $35^\circ$
- B.  $55^\circ$
- C.  $65^\circ$

D.  $75^\circ$

**Answer**

$BAC = 35^\circ$  (opposite pair of angles)

$BCD = 180 - 110 = 70^\circ$  (linear pair of angles)

Now, in Triangle ABC we have,


$$A + B + C = 180^\circ$$

$$35 + B + 70 = 180$$

$$B = 180 - 105 = 75^\circ$$

**52. Question**

In the adjoining figure,  $y = ?$



- A.  $36^\circ$
- B.  $54^\circ$
- C.  $63^\circ$
- D.  $72^\circ$

**Answer**

$x + y + 90 = 180$  (sum of angles on a straight line)

$$x + y = 90 \text{ .....(i)}$$

$3x + 72 = 180$  (sum of angles on a straight line)

$$3x = 108$$

$$x = 108/3 = 36^\circ$$

Putting this value in eq (i), we get

$$x + y = 90$$

$$36 + y = 90$$

$$Y = 90 - 36 = 54^\circ$$

**53. Question**

Each question consists of two statements, namely, Assertion (A) and Reason (R). Choose the correct option.

Assertion (A)	Reason (R)
If the two angles of a triangle measure $50^\circ$ and $70^\circ$ , then its third angle is $60^\circ$ .	The sum of the angles of a triangle is $180^\circ$ .

- A. Both Assertion (A) and Reason (R) are true and Reason (R) is a correct explanation of Assertion (A).
- B. Both Assertion (A) and Reason (R) are true but Reason (R) is not a correct explanation of Assertion (A).
- C. Assertion (A) is true and Reason (R) is false.
- D. Assertion (A) is false and Reason (R) is true.

**Answer**

Sum of triangle is =  $180^\circ$

And  $70 + 60 + 50 = 180^\circ$

**54. Question**

Each question consists of two statements, namely, Assertion (A) and Reason (R). Choose the correct option.

Assertion (A)	Reason (R)
If a ray $\overline{CD}$ stands on a line $\overline{AB}$ such that $\angle ACD = \angle BCD$ , then $\angle ACD = 90^\circ$ .	If a ray $\overline{CD}$ stands on a line $\overline{AB}$ , then $\angle ACD + \angle BCD = 180^\circ$ .

- A. Both Assertion (A) and Reason (R) are true and Reason (R) is a correct explanation of Assertion (A).
- B. Both Assertion (A) and Reason (R) are true but Reason (R) is not a correct explanation of Assertion (A).
- C. Assertion (A) is true and Reason (R) is false.
- D. Assertion (A) is false and Reason (R) is true.

**Answer**

According to linear pair of angle, sum of angles on straight line is 180

And  $90 + 90 = 180^\circ$

**55. Question**



Each question consists of two statements, namely, Assertion (A) and Reason (R). Choose the correct option.

Assertion (A)	Reason (R)
If the side BC of a $\Delta ABC$ is produced to D, then $\angle ACD = \angle A + \angle B$ .	The sum of the angles of a triangle is $180^\circ$ .


- A. Both Assertion (A) and Reason (R) are true and Reason (R) is a correct explanation of Assertion (A).
- B. Both Assertion (A) and Reason (R) are true but Reason (R) is not a correct explanation of Assertion (A).
- C. Assertion (A) is true and Reason (R) is false.
- D. Assertion (A) is false and Reason (R) is true.

**Answer**

No, this is not linked with the given reason.

**56. Question**

Each question consists of two statements, namely, Assertion (A) and Reason (R). Choose the correct option.

Assertion (A)	Reason (R)
<p>If two lines AB and CD intersect at O such that <math>\angle AOC = 40^\circ</math>, then <math>\angle BOC = 140^\circ</math>.</p> 	<p>If two straight lines intersect each other, then vertically opposite angles are equal.</p>


- A. Both Assertion (A) and Reason (R) are true and Reason (R) is a correct explanation of Assertion (A).
- B. Both Assertion (A) and Reason (R) are true but Reason (R) is not a correct explanation of Assertion (A).
- C. Assertion (A) is true and Reason (R) is false.
- D. Assertion (A) is false and Reason (R) is true.

**Answer**

Because when two lines intersect each other, then vertically opposite angles are always equal.

### 57. Question

Each question consists of two statements, namely, Assertion (A) and Reason (R). Choose the correct option.

Assertion (A)	Reason (R)
<p>If <math>AB \parallel CD</math> and <math>t</math> is the transversal as shown, then <math>\angle 3 = \angle 5</math>.</p> 	<p>If a ray stands on a straight line the sum of the adjacent angles so formed is <math>180^\circ</math>.</p>

- A. Both Assertion (A) and Reason (R) are true and Reason (R) is a correct explanation of Assertion (A).
- B. Both Assertion (A) and Reason (R) are true but Reason (R) is not a correct explanation of Assertion (A).
- C. Assertion (A) is true and Reason (R) is false.
- D. Assertion (A) is false and Reason (R) is true.

### Answer

3 and 5 are pair of consecutive interior angles. It is not necessary to be always equal.

### 58. Question

Match the following columns:

Column I	Column II
(a) If $x^\circ$ and $y^\circ$ be the measures of two complementary angles such that $2x = 3y$ , then $x = \dots\dots\dots$	(p) $45^\circ$
(b) If an angle is the Supplement of itself, then  then the measure of the angle is .....	(q) $60^\circ$
(c) If an angle is the complement of itself, then  the measure of the angle is.....	(r) $54^\circ$
(d) If $x^\circ$ and $y^\circ$ be the angles forming a linear pair such that $x - y = 60^\circ$ , then $y = \dots$	(s) $90^\circ$

The correct answer is:

A. - ....., B. - .....,

C. - ....., D. - .....,

**Answer**

(a) - (r), (b) - (s), (c) - (p), (d) - (q)

(a) - (r)

$$X + y = 90$$

$$X + 2x/3 = 90$$

$$5x/3 = 90$$

$$X = 270/5$$

$$= 54$$

(b) - (s)

$$X + y = 180 \text{ (according to question } x = y)$$

$$X + x = 180$$

$$2x = 180$$

$$X = 90$$

(c) - (p)

$$X + y = 90 \text{ (according to question } x = y)$$

$$X + x = 90$$

$$2x = 90$$

$$X = 45$$

(d) - (q)

$$X + y = 180 \text{ (linear pair of angles) .....(i)}$$

$$X - y = 60 \text{ (according to question) ..... (ii)}$$

Adding (i) and (ii) we get,

$$2x = 240$$


$$X = 120$$


Now putting this in (ii) we get,

$$Y = 120 - 60 = 60$$


### 59. Question

Match the following columns:


Column I	Column II
<p>(a) In the given figure, ABC is a straight line. Then, <math>\angle ACD =</math> .....</p> 	<p>(p) <math>110^\circ</math></p>




(b) In the given figure,  $\angle AOC = (2x - 10)^\circ$  and  $\angle BOC = (3x - 10)^\circ$ . Then,  $\angle AOD = \dots$



(c) In the given figure, side  $BC$  of  $\triangle ABC$  has been produced to  $D$ . If  $\angle A = 65^\circ$  and  $\angle B = 60^\circ$ , then  $\angle ACD = ?$



(d) In the given figure,  $AB \parallel DE$ ,  $\angle CDE = 50^\circ$  and  $\angle BAC = 45^\circ$ , then  $\angle ACB = \dots$





The correct answer is:

A. - ....., B. - .....,

C. - ....., D. - .....,

**Answer**

(a) - (r), (b) - (p), (c) - (s), (d) - (q)

(a) - (r)

$2x + 3x = 180$  (linear pair of angles)

$$5x = 180$$

$$x = 36$$

$$2x = 2 \times 36 = 72$$

(b) - (p)

$2x - 10 + 3x - 10 = 180$  (linear pair of angles)

$$5x - 20 = 180$$

$$5x = 200$$

$$x = 40$$

$\text{AOD} = 3x - 10$  (opposite angles are equal)

$$= 120 - 10$$

$$= 110$$

(c) - (s)

$C = 180 - (A + B)$  (sum of angles triangle is 180)

$$= 180 - (60 + 65)$$

$$= 55$$

$\text{ACD} = 180 - 55$  (sum of linear pair of angles is 180)

$$= 180 - 55$$

$$= 125$$

(d) - (q)

$B = D$  (alternate interior angles)

$$= 55$$

$\text{ACB} = 180 - (55 + 40)$  (sum of angles of triangle is 180)

$$= 180 - 95$$

bodhiyla.com

$$= 85$$

## Formative Assessment (Unit Test)

### 1. Question

The angles of a triangle are in the ratio 3:2:7. Find the measure of each of its angles.

#### Answer

Let  $x$  be the common multiple.

$$3x + 2x + 7x = 180$$

$$12x = 180$$

$$x = 15$$

$$3x = 45^\circ$$

$$2x = 30^\circ$$

$$7x = 105^\circ$$

### 2. Question

In a  $\triangle ABC$ , if  $\angle A - \angle B = 40^\circ$  and  $\angle B - \angle C = 10^\circ$ , find the measure of  $\angle A$ ,  $\angle B$  and  $\angle C$ .

#### Answer

$$A = B + 40$$

$$C = B - 10$$

$$A + B + C = 180$$

$$B + 40 + B + B - 10 = 180$$

$$3B + 30 = 180$$

$$3B = 180 - 30 = 150$$


$$B = 50^\circ$$

$$\text{So, } A = B + 40 = 90^\circ$$

$$C = B - 10 = 40^\circ$$

### 3. Question

The side  $BC$  of  $\triangle ABC$  has been increased on both sides as shown. If  $\angle ABD = 105^\circ$  and  $\angle ACE = 110^\circ$ , then find  $\angle A$ .



**Answer**

$$B = 180 - 105 \text{ (sum of linear pair of angles is 180)}$$

$$= 75$$

$$C = 180 - 110 \text{ (sum of linear pair of angles is 180)}$$

$$= 70$$

$$\text{So, } A = 180 - (B + C) \text{ (sum of angles of triangle is 180)}$$


$$= 180 - (70 + 75)$$

$$= 35^\circ$$

**4. Question**

Prove that the bisectors of two adjacent supplementary angles include a right angle.

**Answer**



Given,  $\angle DAB + \angle EBA = 180^\circ$ . CA and CB are bisectors of  $\angle DAB$   $\angle EBA$  respectively.  $\therefore \angle DAC + \angle CAB = \frac{1}{2} (\angle DAB)$ .....(1)  $\Rightarrow \angle EBC + \angle CBA = \frac{1}{2} (\angle EBA)$ ....(2)  $\Rightarrow \angle DAB + \angle EBA = 180^\circ \Rightarrow 2 (\angle CAB) + 2 (\angle CBA) = 180^\circ$  [using (1) and (2)]  $\Rightarrow \angle CAB + \angle CBA = 90^\circ$

In  $\Delta ABC$ ,

$$\angle CAB + \angle CBA + \angle ABC = 180^\circ \text{ (Angle Sum property)} \Rightarrow 90^\circ + \angle ABC = 180^\circ \Rightarrow \angle ABC = 180^\circ - 90^\circ \Rightarrow \angle ABC = 90^\circ$$

**5. Question**

If one angle of a triangle is equal to the sum of the two other angles, show that the triangle is right - angled.



**Answer**

Let  $\angle A = x$ ,  $\angle B = y$  and  $\angle C = z$

$\angle A + \angle B + \angle C = 180$  (sum of angles of triangle is 180)

$$x + y + z = 180 \text{ .....(i)}$$

According to question,

$$x = y + z \text{ .....(ii)}$$

Adding eq (i) and (ii), we get

$$x + x = 180$$


$$2x = 180$$

$$x = 90$$

Hence, It is a right angled triangle.

**6. Question**

In the given figure, ACB is a straight line and CD is a line segment such that  $\angle ACD = (3x - 5)^\circ$  and  $\angle BCD = (2x + 10)^\circ$ . Then,  $x = ?$



A. 25

B. 30

C. 35

D. 40

**Answer**

$$3x - 5 + 2x + 10 = 180 \text{ (linear pair of angles)}$$


$$5x + 5 = 180$$

$$5x = 175$$

$$x = 175 / 5 = 35$$

**7. Question**

In the given figure, AOB is a straight line. If  $\angle AOC = 40^\circ$ ,  $\angle COD = 4x^\circ$  and  $\angle BOD = 3x^\circ$ , then  $x = ?$



- A. 20
- B. 25
- C. 30
- D. 35

**Answer**

$40 + 4x + 3x = 180$  (sum of angles on a straight line)

$$7x + 40 = 180$$

$$7x = 180 - 40$$

$$x = 140 / 7 = 20$$

**8. Question**

The supplement of an angle is six times its complement. The measure of this angle is

- A.  $36^\circ$
- B.  $54^\circ$
- C.  $60^\circ$
- D.  $72^\circ$


**Answer**

Let  $x$  be the angle then, complement =  $90 - x$  supplement =  $180 - x$

According to question,  $180 - x = 6(90 - x)$   
 $180 - x = 540 - 6x$   
 $5x = 360$   
 $x = 72^\circ$

**9. Question**

In the given figure,  $AB \parallel CD \parallel EF$ . If  $\angle ABC = 85^\circ$ ,  $\angle BCE = x^\circ$  and  $\angle CEF = 130^\circ$ , then  $x = ?$




- A. 30
- B. 25

C. 35

D. 15

**Answer**



According to question,

$AB \parallel EF$

$EF \parallel CD$  (AB is produced to F, CF is transversal)

$$\angle FEC = 130^\circ$$

Now,  $\angle BFC + \angle BFO = 180^\circ$  (Sum of angles of Linear pair is  $180^\circ$ )

$$\angle BFO = 180^\circ - 130^\circ = 50^\circ$$

Now in triangle BOF, we have

$$\angle ABO = \angle BFO + \angle BOF$$


$$85 = 50 + \angle BOF$$

$$\angle BOF = 85 - 50 = 35^\circ$$

So,  $x = 35^\circ$

### 10. Question

In the given figure,  $AB \parallel CD$ ,  $\angle BAD = 30^\circ$  and  $\angle ECD = 50^\circ$ . Find  $\angle CED$ .



**Answer**

$$\angle A = \angle D \text{ (Pair of alternate angles)}$$

$$= 30^\circ$$

Now, in triangle EDC we have

$$\angle D = 30^\circ \text{ and } \angle C = 50^\circ$$

So,

$$\begin{aligned}\angle CED &= 180 - (\angle C + \angle D) \\ &= 180 - 30 - 50 \\ &= 100^\circ\end{aligned}$$

### 11. Question

In the given figure,  $BAD \parallel EF$ ,  $\angle AEF = 55^\circ$  and  $\angle ACB = 25^\circ$ , find  $\angle ABC$ .

### Answer

According to question  $EF \parallel BAD$

Producing E to O, we get

$$\angle EFA + \angle AEO = 180 \text{ (Linear pair of angles)}$$

$$\angle AEO = 180 - 55$$

$$= 125$$

Now, in triangle ABC we get,

$$\angle A = 125 \text{ and } \angle C = 25$$

$$\text{So, } \angle ABC = 180 - (\angle A + \angle C)$$


$$= 180 - (125 + 25)$$

$$= 180 - 150$$

$$= 30^\circ$$

### 12. Question

In the given figure,  $BE \perp AC$ ,  $\angle DAC = 30^\circ$  and  $\angle DBE = 40^\circ$ . Find  $\angle ACB$  and  $\angle ADB$ .



### Answer

In triangle BEC we have,

$$\angle B = 40^\circ \text{ and } \angle E = 90^\circ$$

$$\text{So, } \angle C = 180^\circ - (90 + 40)$$

$$= 50^\circ$$

Therefore,  $\angle ACB = 50^\circ$

Now in triangle ADC we have,

$$\angle A = 30^\circ \text{ and } \angle C = 50^\circ$$

$$\text{So, } \angle D = 180^\circ - (30 + 50)$$

$$= 100^\circ$$

Therefore,

$$\angle ADB + \angle ADC = 180 \text{ (sum of angles on straight line)}$$


$$\angle ADB + 100 = 180$$

$$\angle ADB = 180 - 100$$

$$= 80^\circ$$

### 13. Question

In the given figure,  $AB \parallel CD$  and  $EF$  is a transversal, cutting them at  $G$  and  $H$  respectively. If  $\angle EGB = 35^\circ$  and  $QP \perp EF$ , find the measure of  $\angle PQH$ .



### Answer

$$\angle EGB = \angle QHP \text{ (Alternate Exterior Angles)} = 35^\circ$$

$$\angle QPH = 90^\circ$$

So, in triangle QHP we have,

$$\angle QPH + \angle QHP + \angle PQH = 180^\circ$$


$$90^\circ + 35^\circ + \angle PQH = 180^\circ$$

$$\angle PQH = 180^\circ - 90^\circ - 35^\circ$$

$$= 55^\circ$$

### 14. Question

In the given figure,  $AB \parallel CD$  and  $EF \perp AB$ . If  $EG$  is the transversal such that  $\angle GED = 130^\circ$ , find  $\angle EGF$ .



**Answer**

$$\angle GEC = 180 - 130 = 50^\circ \text{ (linear pair of angles)}$$

According to question,

$AB \parallel CD$  and  $EF$  is perpendicular to  $AB$ .


$$\angle GEC = \angle EGF \text{ (pair of alternate interior angles)}$$

$$= 50^\circ$$

**15. Question**

Match the following columns:

[bodhiyla.com](http://bodhiyla.com)

Column I	Column II
(a) An angle is $10^\circ$ more than its complement. The measure of the angle is....	(p) $160^\circ$
(b) In $\triangle ABC$ , $\angle A = 65^\circ$ and $\angle B - \angle C = 25^\circ$ , then $\angle B = \dots$	(q) $50^\circ$
<p>(c) In <math>\triangle ABC</math>, <math>\angle A = 40^\circ</math> and <math>\angle B = \angle C</math>? If <math>EF \parallel BC</math>, then <math>\angle EFC = \dots</math></p> 	(r) $70^\circ$
<p>(d) If the angles around a point are <math>2x^\circ</math>, <math>3x^\circ</math>, <math>5x^\circ</math> and <math>40^\circ</math> then the measure of largest angle is.....</p>	(s) $110^\circ$

The correct answer is:

A. - ....., B. - .....,

C. - ....., D. - .....,

**Answer**

(a) - (q), (b) - (r), (c) - (s), (d) - (p)

(a) - (q)

$$x + x + 10 = 90$$

$$2x + 10 = 90$$

$$2x = 80$$

$$x = 40$$

$$x + 10 = 50^\circ$$

(b) - (r)

$$\angle A + \angle B + \angle C = 180$$

$$65 + \angle B + \angle B - 25 = 180$$

$$2\angle B + 40 = 180$$

$$2\angle B = 140$$

$$\angle B = 70^\circ$$

(d) - (p)

$$\angle A + \angle B + \angle C + \angle D = 360$$

$$2x + 3x + 5x + 40 = 360$$

$$10x + 40 = 360$$


$$10x = 320$$

$$x = 32^\circ$$

$$5x = 32 \times 5 = 160^\circ$$

### 16 A. Question

In the given figure, lines AB and CD intersect at O such that  $\angle AOD + \angle BOD + \angle BOC = 300^\circ$ . Find  $\angle AOD$ .



### Answer

According to question,

$$\angle AOD + \angle BOD + \angle BOC = 300^\circ.$$

In the given figure CD is a straight line.

As we know, Sum of angle on a straight line is  $180^\circ$

So,

$$\angle AOD + \angle BOD + \angle BOC = 300$$




$$AOD + 180 = 300$$

$$AOD = 300 - 180$$

$$= 120^\circ$$

### 16 B. Question

In the given figure  $AB \parallel CD$ ,  $\angle APQ = 50^\circ$  and  $\angle PRD = 120^\circ$ . Find  $\angle QPR$ .



### Answer

According to question,

$$\angle PRD = 120^\circ$$

$$\angle PRD = \angle APR \text{ (Pair of alternate interior angles)}$$

So,

$$\angle APR = 120^\circ$$

$$\angle APQ + \angle QPR = 120^\circ$$

$$50 + \angle QPR = 120$$


$$\angle QPR = 120 - 50$$

$$= 70^\circ$$

### 17. Question

In the given figure, BE is the bisector of  $\angle B$  and CE is the bisector of  $\angle ACD$ .

Prove that



### Answer

In triangle ABC we have,

$$A + B + C = 180$$

Let  $B = x$  and  $C = y$  then,

$$A + 2x + 2y = 180 \text{ (BE and CE are the bisector of angles B and C respectively.)}$$

$$x + y + A = 180$$

$$A = 180 - (x + y) \dots\dots\dots(i)$$

Now, in triangle BEC we have,

$$B = x/2$$

$$C = y + ((180 - y) / 2)$$

$$= (180 + y) / 2$$

$$B + C + BEC = 180$$

$$x/2 + (180 + y) / 2 + BEC = 180$$


$$BEC = (180 - x - y) / 2 \dots\dots\dots(ii)$$

From eq (i) and (ii) we get,


$$BEC = A/2$$

**18. Question**

In  $\Delta ABC$ , sides AB and AC are produced to D and E respectively. BO and CO are the bisectors of  $\angle CBD$  and  $\angle BCE$  respectively. Then, prove that



**Answer**



bodhiyla.com

Here BO, CO are the angle bisectors of  $\angle DBC$  &  $\angle ECB$  intersect each other at O.

$$\therefore \angle 1 = \angle 2 \text{ and } \angle 3 = \angle 4$$

Side AB and AC of  $\Delta ABC$  are produced to D and E respectively.

$$\therefore \text{Exterior of } \angle DBC = \angle A + \angle C \dots\dots\dots (1)$$

$$\text{And Exterior of } \angle ECB = \angle A + \angle B \dots\dots\dots (2)$$

Adding (1) and (2) we get

$$\angle DBC + \angle ECB = 2 \angle A + \angle B + \angle C.$$

$$2\angle 2 + 2\angle 3 = \angle A + 180^\circ$$

$$\angle 2 + \angle 3 = (1/2)\angle A + 90^\circ \dots\dots\dots (3)$$

But in a  $\triangle BOC = \angle 2 + \angle 3 + \angle BOC = 180^\circ \dots\dots\dots (4)$

From eq (3) and (4) we get

$$(1/2)\angle A + 90^\circ + \angle BOC = 180^\circ$$

$$\angle BOC = 90^\circ - (1/2)\angle A$$

**19. Question**

Of the three angles of a triangle, one is twice the smallest and another one is thrice the smallest. Find the angles.

**Answer**

Let x be the common multiple.

So, angles will be x, 2x and 3x

$$X + 2x + 3x = 180$$

$$6x = 180$$

$$X = 30$$


$$2x = 2 \times 30 = 60$$

$$3x = 3 \times 30 = 90$$


So, Angles are  $30^\circ, 60^\circ$  and  $90^\circ$

**20. Question**

In  $\triangle ABC$ ,  $\angle B = 90^\circ$  and  $BD \perp AC$ . Prove that  $\angle ABD = \angle ACB$ .



**Answer**



Let  $\angle ABD = x$  and  $\angle ACB = y$

According to question,

$$\angle B = 90^\circ$$

In triangle BDC, we have,

$$\angle BDC = 90^\circ$$

$$\angle DBC = (90 - x)^\circ$$

$$\angle BDC + \angle DBC + \angle DCB = 180^\circ$$

$$90^\circ + (90 - x)^\circ + y = 180^\circ$$

$$180^\circ - x + y = 180^\circ$$

$$x = y$$

So,

$$\angle ABD = \angle ACB$$

[bodhiyla.com](http://bodhiyla.com)